

UNCLASSIFIED

AD NUMBER

AD101819

NEW LIMITATION CHANGE

TO

Approved for public release, distribution
unlimited

FROM

Distribution authorized to U.S. Gov't.
agencies and their contractors; Foreign
Government Information; APR 1956. Other
requests shall be referred to British
Embassy, 3100 Massachusetts Avenue, NW,
Washington, DC 20008.

AUTHORITY

DSTL, AVIA 6/20193, 9 Dec 2008.

THIS PAGE IS UNCLASSIFIED

UNCLASSIFIED

**A
D
0
0
I
8
I
9**

Armed Services Technical Information Agency

**Reproduced by
DOCUMENT SERVICE CENTER
KNOTT BUILDING, DAYTON, 2, OHIO**

This document is the property of the United States Government. It is furnished for the duration of the contract and shall be returned when no longer required, or upon recall by ASTIA to the following address: Armed Services Technical Information Agency, Document Service Center, Knott Building, Dayton 2, Ohio.

NOTICE: WHEN GOVERNMENT OR OTHER DRAWINGS, SPECIFICATIONS OR OTHER DATA ARE USED FOR ANY PURPOSE OTHER THAN IN CONNECTION WITH A DEFINITELY RELATED GOVERNMENT PROCUREMENT OPERATION, THE U. S. GOVERNMENT THEREBY INCURS NO RESPONSIBILITY, NOR ANY OBLIGATION WHATSOEVER; AND THE FACT THAT THE GOVERNMENT MAY HAVE FORMULATED, FURNISHED, OR IN ANY WAY SUPPLIED THE SAID DRAWINGS, SPECIFICATIONS, OR OTHER DATA IS NOT TO BE REGARDED BY IMPLICATION OR OTHERWISE AS IN ANY MANNER LICENSING THE HOLDER OR ANY OTHER PERSON OR CORPORATION, OR CONVEYING ANY RIGHTS OR PERMISSION TO MANUFACTURE, USE OR SELL ANY PATENTED INVENTION THAT MAY IN ANY WAY BE RELATED THERETO.

UNCLASSIFIED

AD NO. 101819

ASTIA FILE COPY

REPORT
STRUCTURES 201

REPORT
STRUCTURES 201

JSRP

Control
No.

560558

Date 18 JUL 1956

UNCLASSIFIED

ROYAL AIRCRAFT ESTABLISHMENT

FARNBOROUGH, HANTS

REPORT No: STRUCTURES 201

AERODYNAMIC DERIVATIVES FOR
TWO CROPPED DELTA WINGS
AND ONE ARROWHEAD WING
OSCILLATING IN DISTORTION MODES

JSRP Control
No.

560560

Date 18 JUL 1956

by

D.L.WOODCOCK, M.A.

APRIL, 1956

FC

THE INFORMATION CONTAINED IN THIS DOCUMENT IS
CLASSIFIED.....

UNCLASSIFIED
AND NOT AS INDICATED WITHIN.

TPA3/FB.

19 JUN 1956

DATE

MINISTRY OF SUPPLY

THIS DOCUMENT IS THE PROPERTY OF H.M. GOVERNMENT AND
ATTENTION IS CALLED TO THE PENALTIES ATTACHING TO
ANY INFRINGEMENT OF THE OFFICIAL SECRETS ACT, 1911-1959

It is intended for the use of the recipient only, and for communication to such officers under him as may require to be acquainted with its contents in the course of their duties. The officers exercising this power of communication are responsible that such information is handled with due caution and reserve. Any person other than the authorized holder, upon obtaining possession of the document, by finding or otherwise, should forward it, together with his name and address, in a closed envelope to—

THE SECRETARY, MINISTRY OF SUPPLY, LONDON, W.C.2

Letter postage need not be paid; other postage will be refunded. All persons are hereby warned that the unauthorized retention or destruction of this document is an offence against the Official Secrets Act.

UNCLASSIFIED

RESTRICTED

U.D.C. No. 533.6.013.422 : 533.691.13

Report No. Structures 201

April, 1956

ROYAL AIRCRAFT ESTABLISHMENT, FARNBOROUGH

Aerodynamic derivatives for two cropped delta wings and one arrowhead wing oscillating in distortion modes

by

D. L. Woodcock, M.A.

RAE Ref: Structures D/14595/DLW

SUMMARY

Aerodynamic derivatives are given for three particular planforms oscillating with symmetric distortion modes in incompressible flow. The planforms are:

- (i) a cropped delta wing of aspect ratio 3 and taper ratio $1/7$;
- (ii) a cropped delta wing of aspect ratio 1.2 and taper ratio $1/7$;
- (iii) an arrowhead wing of aspect ratio 1.32, taper ratio $7/18$ and angle of sweep of 63.4° at the quarter chord.

The results are for modes of the form $|\eta|^n$ for $n = 0(1)4$ where η is a non-dimensional spanwise co-ordinate. They have been determined from intermediate results which D. E. Lehrian had earlier obtained by the vortex lattice method. The results are compared, for some cases, with the corresponding values given by very low aspect ratio theory.

RESTRICTED

LIST OF CONTENTS

| | <u>Page</u> |
|---------------------------|-------------|
| List of Symbols | 3 |
| 1 Introduction | 4 |
| 2 Method | 4 |
| 3 Results | 12 |
| 4 Conclusions | 13 |
| References | 13 |
| Detachable Abstract Cards | -- |

LIST OF TABLES

| | <u>Table</u> |
|---|--------------|
| Values of $(\bar{W}^{-1})^t$ | 1 to 3 |
| Values of equivalent constant strip derivatives | 4 to 27 |
| Values of overall derivatives | 28 to 51 |
| Comparison with derivatives of very low aspect ratio theory | 52 to 56 |

RESTRICTED

List of Symbols

| | | |
|--------------------------|---|--|
| c | = | $\frac{K_1 \left(\frac{iy}{2}\right)}{\left\{ K_0 \left(\frac{iy}{2}\right) + K_1 \left(\frac{iy}{2}\right) \right\}}$ |
| c | = | wing chord |
| c_m | = | mean wing chord |
| $(\epsilon_z)_{ij}$ etc. | = | equivalent constant strip derivatives |
| (ϵ_z) etc. | = | matrices of equivalent constant strip derivatives |
| $[\epsilon_z]_{ij}$ etc. | = | overall derivatives |
| $[\epsilon_z]$ etc. | = | matrices of overall derivatives |
| S | = | wing area |
| s | = | wing semi-span |
| t | = | time |
| V | = | airspeed |
| W | = | matrix of downwash velocities at collocation points due to the assumed doublet distribution |
| x | = | distance aft of mid chord axis |
| y | = | distance spanwise from wing centre line |
| $z e^{iwt}$ | = | downward displacement of any point |
| Γe^{iwt} | = | bound vorticity |
| Γ_n | = | bound vorticity distribution functions |
| η | = | $\frac{y}{s}$ |
| θ | = | $\cos^{-1} \left(-\frac{2x}{c} \right)$ |
| v | = | $\frac{wc}{V}$ |
| v_m | = | $\frac{wc_m}{V}$ |
| ρ | = | air density |
| ω | = | circular frequency |

RESTRICTED

1 Introduction

In 1951 D. E. Lehrian¹ published values of the aerodynamic derivatives for a cropped delta wing of aspect ratio 3, taper ratio $1/7$ oscillating with rigid modes in incompressible flow. From some of her intermediate results the derivatives for the same wing oscillating in distortion modes of the form $|\eta|^n$ were obtained and published in reference 2.

In reference 1 the first of the chordwise distribution functions for the bound vorticity was taken to be

$$\Gamma_0 = 2 [C(v) \cot \frac{1}{2}\theta + \frac{1}{2}iv \sin \theta] \quad (1)$$

that is, the function which arises in two-dimensional theory. The use of this function was found to give erroneous values of the damping derivatives for small values of v because of the presence of a term $v \log v$ in the limiting value of $C(v)$ as v tends to zero. To avoid this error D. E. Lehrian used instead the function

$$\Gamma_0 = 2 \cot \frac{1}{2}\theta \quad (2)$$

in reference 3. In that report she obtained rigid mode derivatives for two cropped delta wings both of taper ratio $1/7$ and of aspect ratios 1.2 and 3, and also for an arrowhead wing of aspect ratio 1.32, taper ratio $7/18$ and angle of sweep of 63.4° at the quarter chord. The present report gives the derivatives for these three wings oscillating in distortion modes of the form $|\eta|^n$. These have been obtained from the values, given in reference 3, of the matrices of the downwash velocities at the collocation points induced by the assumed doublet distribution functions.

2 Method

The method of determining the derivatives is described in reference 2. It will therefore be sufficient for our present purpose to give only those details which are necessary for the correct understanding of the results.

To obtain the derivatives for modes of the form $|\eta|^n$ for $n = 0(1)4$ the downward displacement of any point on the wing, with the exponential factor omitted is assumed to be given by

$$z = \sum_{i=0}^4 c_m |\eta|^i \psi_i - \frac{1}{2} c \cos \theta \sum_{r=0}^4 |\eta|^r x_r. \quad (3)$$

This is not quite the same form as that used in reference 2. The reference length used in defining the flexural displacement has been changed from the semi-span s to the mean chord c_m . This modification simplifies some of the expressions which appear later. It should also be noted that the displacement in any particular degree of freedom is either purely flexural or purely torsional. The air forces for degrees of freedom containing both flexure and torsion are considered later.

If ψ_i, x_r are the generalised forces corresponding to the degrees of freedom ψ_i, x_r then

$$\psi_i = \sum_{j=0}^4 \Psi_{ij}^\psi \psi_j + \sum_{s=0}^4 \Psi_{is}^\chi \chi_s \quad \left. \right\} \quad (4)$$

$$x_r = \sum_{j=0}^4 X_{rj}^\psi \psi_j + \sum_{s=0}^4 X_{rs}^\chi \chi_s \quad \left. \right\}$$

where the matrices Ψ^ψ ($\equiv [\Psi_{ij}^\psi]$) etc. are given by

$$\begin{aligned} \Psi^\psi &= -\pi\rho V^2 S s R_z (\bar{W}^{-1})' S_z \\ \Psi^\chi &= -\pi\rho V^2 S s R_\alpha (\bar{W}^{-1})' S_\alpha \\ X^\psi &= -\pi\rho V^2 S s R_\alpha (\bar{W}^{-1})' S_z \\ X^\chi &= -\pi\rho V^2 S s R_\alpha (\bar{W}^{-1})' S_\alpha \end{aligned} \quad \left. \right\} \quad (5)$$

\bar{W} is the matrix of the downwash velocities at the collocation points due to the assumed doublet distribution (see reference 2)*. The other matrices R_z , S_z etc. are given by the following relationships (appropriate to six collocation points situated at the intersection of the lines $\eta = \eta_1, \eta_2, \eta_3$ and $\theta = \theta_1, \theta_2$):-

$$R_z = \left[J, \frac{i v_m}{8} K \right] \quad (6)$$

$$S_z = i v_m [N, N] \quad (7)$$

$$R_\alpha = -\frac{1}{2} \left[K, \frac{1}{2}K + \frac{i v_m}{16} G \right] \quad (8)$$

and

$$S_\alpha = \begin{bmatrix} N - \frac{1}{2} i v_m \cos \theta_1 \cdot HN \\ N - \frac{1}{2} i v_m \cos \theta_2 \cdot HN \end{bmatrix} \quad (9)$$

* The matrix used in reference 3 is the transpose of the one used in reference 2 and in this report.

where

$$N = \begin{matrix} 1 & \begin{bmatrix} \eta_1 & \eta_1^2 & \eta_1^3 & \eta_1^4 \\ \eta_2 & \eta_2^2 & \eta_2^3 & \eta_2^4 \\ \eta_3 & \eta_3^2 & \eta_3^3 & \eta_3^4 \end{bmatrix} \\ 1 & \begin{bmatrix} J_{00} & J_{02} & J_{04} \\ J_{10} & J_{12} & J_{14} \\ J_{20} & J_{22} & J_{24} \\ J_{30} & J_{32} & J_{34} \\ J_{40} & J_{42} & J_{44} \\ J_{50} & J_{52} & J_{54} \\ J_{60} & J_{62} & J_{64} \end{bmatrix} \\ 1 & \begin{bmatrix} a & -b & 0 & 0 & 0 & 0 & 0 \\ 0 & a & -b & 0 & 0 & 0 & 0 \\ 0 & 0 & a & -b & 0 & 0 & 0 \\ 0 & 0 & 0 & a & -b & 0 & 0 \\ 0 & 0 & 0 & 0 & a & -b & 0 \\ 0 & 0 & 0 & 0 & 0 & a & -b \end{bmatrix} \end{matrix} \quad (10)$$

$$J^{**} = \begin{bmatrix} J_{00} & J_{02} & J_{04} \\ J_{10} & J_{12} & J_{14} \\ J_{20} & J_{22} & J_{24} \\ J_{30} & J_{32} & J_{34} \\ J_{40} & J_{42} & J_{44} \\ J_{50} & J_{52} & J_{54} \\ J_{60} & J_{62} & J_{64} \end{bmatrix} \quad (11)$$

$$J_{rs} = \int_0^1 \eta^{r+s} \sqrt{1 - \eta^2} d\eta \quad (12)$$

J^* = first six rows of J^{**} (13)

J = first five rows of J^{**} (14)

$$\frac{c}{c_m} = a - b\eta \quad (15)$$

$$L^* = \begin{bmatrix} a & -b & 0 & 0 & 0 & 0 & 0 \\ 0 & a & -b & 0 & 0 & 0 & 0 \\ 0 & 0 & a & -b & 0 & 0 & 0 \\ 0 & 0 & 0 & a & -b & 0 & 0 \\ 0 & 0 & 0 & 0 & a & -b & 0 \\ 0 & 0 & 0 & 0 & 0 & a & -b \end{bmatrix} \quad (16)$$

$$L = \text{first five rows and six columns of } L^* \quad (17)$$

$$K = L J^* \quad (18)$$

$$K^* = L^* J^{**} \quad (19)$$

$$G = LK^* = LL^* J^{**} \quad (20)$$

and $H = \text{diag} \left\{ \frac{c}{c_m} (\eta_1), \frac{c}{c_m} (\eta_2), \frac{c}{c_m} (\eta_3) \right\}. \quad (21)$

The matrices ψ^Ψ etc., when made non-dimensional are divided up into matrices of the overall derivatives. Thus

$$\left. \begin{aligned} \psi^\Psi &= -\rho v^2 S c_m \{ [\ell_z] + i v_m [\ell_{\alpha}] \} \\ \psi^\chi &= -\rho v^2 S c_m \{ [\ell_\alpha] + i v_m [\ell_z] \} \\ x^\Psi &= -\rho v^2 S c_m \{ [-m_z] + i v_m [-m_\alpha] \} \\ x^\chi &= -\rho v^2 S c_m \{ [-m_\alpha] + i v_m [-m_z] \} \end{aligned} \right\} \quad (22)$$

where

$$[\ell_z] = \left[[\ell_z]_{ij} \right] \text{ etc.} \quad (23)$$

and so

$$\left. \begin{aligned} [\ell_z] &= \pi \frac{s}{c_m} R \ell \left\{ R_z (\bar{W}^{-1})^t S_z \right\} \\ [\ell_\alpha] &= \pi \frac{s}{c_m} R \ell \left\{ R_\alpha (\bar{W}^{-1})^t S_\alpha \right\} \\ [-m_z] &= \pi \frac{s}{c_m} R \ell \left\{ R_z (\bar{W}^{-1})^t S_\alpha \right\} \\ [-m_\alpha] &= \pi \frac{s}{c_m} R \ell \left\{ R_\alpha (\bar{W}^{-1})^t S_z \right\} \end{aligned} \right\} \quad (24)$$

and

$$\left. \begin{aligned} [\ell_z] &= \pi \frac{s}{\sigma_m v_m} \theta_m \left\{ R_z (\tilde{W}^{-1})^T S_z \right\} \\ [\ell_\alpha] &= \pi \frac{s}{\sigma_m v_m} \theta_m \left\{ R_z (\tilde{W}^{-1})^T S_\alpha \right\} \\ [-m_z] &= \pi \frac{s}{\sigma_m v_m} \theta_m \left\{ R_\alpha (\tilde{W}^{-1})^T S_z \right\} \\ [-m_\alpha] &= \pi \frac{s}{\sigma_m v_m} \theta_m \left\{ R_\alpha (\tilde{W}^{-1})^T S_\alpha \right\} \end{aligned} \right\} \quad (25)$$

The stiffness derivatives thus include the virtual inertia contribution.

The equivalent constant strip derivatives $(\ell_z)_{ij}$ etc. are related to the overall derivatives by the formulae:-

$$\left. \begin{aligned} [\ell_z]_{ij} &= (\ell_z)_{ij} \int_0^1 \eta^{i+j} d\eta \\ [\ell_\alpha]_{is} &= (\ell_\alpha)_{is} \int_0^1 \frac{\sigma}{\sigma_m} \eta^{i+s} d\eta \\ [-m_z]_{rj} &= (-m_z)_{rj} \int_0^1 \frac{\sigma}{\sigma_m} \eta^{r+j} d\eta \\ [-m_\alpha]_{rs} &= (-m_\alpha)_{rs} \int_0^1 \left(\frac{\sigma}{\sigma_m}\right)^2 \eta^{r+s} d\eta \end{aligned} \right\} \quad (26)$$

(27)

$$\left. \begin{aligned}
 [\epsilon_z]_{ij} &= (\epsilon_z)_{ij} \int_0^1 \frac{c}{\sigma_m} \eta^{i+j} d\eta \\
 [\epsilon_\alpha]_{is} &= (\epsilon_\alpha)_{is} \int_0^1 \left(\frac{c}{\sigma_m}\right)^2 \eta^{i+s} d\eta \\
 [-m_z]_{rj} &= (-m_z)_{rj} \int_0^1 \left(\frac{c}{\sigma_m}\right)^2 \eta^{r+j} d\eta \\
 [-m_\alpha]_{rs} &= (-m_\alpha)_{rs} \int_0^1 \left(\frac{c}{\sigma_m}\right)^3 \eta^{r+s} d\eta
 \end{aligned} \right\} \quad (27)$$

These equivalent constant strip derivatives are the same as the equivalent constant derivatives of reference 2.

The generalised forces for a set of degrees of freedom whose modes of displacement can be expressed as linear combinations of the above modes (equation (3)) can be obtained from the overall derivatives for the above modes. Thus if the displacement in the u^{th} degree of freedom is

$$z = \left\{ c_m f_u(\eta) - \frac{1}{2} c \cos \theta F_u(\eta) \right\} q_u \quad (28)$$

where

$$\left. \begin{aligned}
 f_u(\eta) &= \sum_{i=0}^4 g_{ui} |\eta|^i \\
 F_u(\eta) &= \sum_{r=0}^4 g_{ur} |\eta|^r
 \end{aligned} \right\}^* \quad (29)$$

then the corresponding generalised force is Q_u where

$$Q_u = \sum_r Q_{ur} q_r \quad (30)$$

* f_u, F_u are coupled flexural and torsional modal functions, i.e. they describe the displacement in the same degree of freedom.

$$Q = [Q_{uv}] = [g, G] \begin{bmatrix} \ddot{W} & \ddot{\chi} \\ \ddot{X} & \ddot{X} \end{bmatrix} \begin{bmatrix} g' \\ G' \end{bmatrix}$$

$$= -\rho V^2 S c_m [g, G] \left\{ \begin{bmatrix} [\ell_z][\ell_\alpha] \\ [-m_z][-m_\alpha] \end{bmatrix} + i\nu_m \begin{bmatrix} [\ell_z][\ell_\alpha] \\ [-m_z][-m_\alpha] \end{bmatrix} \right\} \begin{bmatrix} g' \\ G' \end{bmatrix} \quad (31)$$

$$g = [g_{ui}] \quad (32)$$

and

$$G = [G_{uj}] . \quad (33)$$

Alternatively the generalised forces for degrees of freedom whose modes of displacement are distinct from those of equation (3) can be obtained directly from the reciprocal matrix (\bar{W}^{-1}) . If the displacement in the u^{th} degree of freedom is given by equation (28) though with f_u, F_u not necessarily given by equation (29) then the matrix Q of the generalised force coefficients Q_{uv} is given by

$$Q = -\pi \rho V^2 S s (\hat{R}_z + \hat{R}_\alpha) (\bar{W}^{-1}) (\hat{S}_z + \hat{S}_\alpha) \quad (34)$$

where

$$\hat{R}_z = \left[\hat{j}, \frac{i\nu_m}{8} \hat{k} \right] \quad (35)$$

$$\hat{S}_z = i\nu_m \{ \hat{n}, \hat{n} \} \quad (36)$$

$$\hat{R}_\alpha = -\frac{1}{4} \left[\hat{K}, \frac{1}{2}\hat{K} + \frac{i\nu_m}{16} \hat{G} \right] \quad (37)$$

$$\hat{S}_\alpha = \left[\begin{array}{l} \hat{N} - \frac{1}{2} i\nu_m \cos \theta_1 \cdot \hat{H}\hat{N} \\ \hat{N} - \frac{1}{2} i\nu_m \cos \theta_2 \cdot \hat{H}\hat{N} \end{array} \right] \quad (38)$$

and, for $(1+a)$ degrees of freedom, where

$$\hat{j} = \begin{bmatrix} \hat{j}_{00} & \hat{j}_{02} & \hat{j}_{04} \\ \hat{j}_{10} & \hat{j}_{12} & \hat{j}_{14} \\ \dots & \dots & \dots \\ \hat{j}_{a0} & \hat{j}_{a2} & \hat{j}_{a4} \end{bmatrix} \quad (39)$$

$$\hat{j}_{rs} = \int_0^1 f_r(\eta) \eta^s \sqrt{1 - \eta^2} d\eta \quad (40)$$

$$\hat{k} = \begin{bmatrix} \hat{k}_{00} & \hat{k}_{02} & \hat{k}_{04} \\ \hat{k}_{10} & \hat{k}_{12} & \hat{k}_{14} \\ \dots & \dots & \dots \\ \hat{k}_{a0} & \hat{k}_{a2} & \hat{k}_{a4} \end{bmatrix} \quad (41)$$

$$\hat{k}_{rs} = \int_0^1 \frac{c}{c_m} f_r(\eta) \eta^s \sqrt{1 - \eta^2} d\eta \quad (42)$$

$$\hat{n} = \begin{bmatrix} f_o(\eta_1) & f_1(\eta_1) & \dots & f_a(\eta_1) \\ f_o(\eta_2) & \dots & & \\ f_o(\eta_3) & \dots & & \end{bmatrix} \quad (43)$$

$$\hat{K} = \begin{bmatrix} \hat{K}_{00} & \hat{K}_{02} & \hat{K}_{04} \\ \hat{K}_{10} & \hat{K}_{12} & \hat{K}_{14} \\ \dots & \dots & \dots \\ \hat{K}_{a0} & \hat{K}_{a2} & \hat{K}_{a4} \end{bmatrix} \quad (44)$$

$$\hat{K}_{rs} = \int_0^1 \frac{c}{c_m} F_r(\eta) \eta^s \sqrt{1 - \eta^2} d\eta \quad (45)$$

$$\hat{G} = \begin{bmatrix} \hat{G}_{00} & \hat{G}_{02} & \hat{G}_{04} \\ \hat{G}_{10} & \hat{G}_{12} & \hat{G}_{14} \\ \dots & \dots & \dots \\ G_{a0} & G_{a2} & G_{a4} \end{bmatrix} \quad (46)$$

$$G_{rs} = \int_0^1 \left(\frac{c}{c_m}\right)^2 F_r(\eta) \eta^8 \sqrt{1 - \eta^2} d\eta \quad (47)$$

and

$$\hat{N} = \begin{bmatrix} F_o(\eta_1) & F_1(\eta_1) & \dots & F_a(\eta_1) \\ F_o(\eta_2) & \dots & & \\ F_o(\eta_3) & \dots & & \end{bmatrix} \quad (48)$$

3 Results

Derivatives for the particular set of modes of equation (3) have been obtained from D. E. Lehrman's values of the matrix of the downwash velocities induced by the assumed doublet distribution functions for the following cases:-

(i) cropped delta wing, aspect ratio = 3, taper ratio = 1/7

$$v_m = 0.26, 0.4 *$$

(ii) cropped delta wing, aspect ratio = 1.2, taper ratio = 1/7

$$v_m = 0.3, 0.6$$

(iii) arrowhead wing, aspect ratio = 1.32, taper ratio = 7/18, quarter chord sweep = 63.4°

$$v_m = 0.303, 0.606 .$$

The results are presented (Tables 4 to 51) as matrices $[e_z]$ etc. of the overall derivatives and also as matrices (e_z) etc. of the equivalent constant strip derivatives (see equations (22) to (27)).

The overall derivatives for the delta wings have also been compared with the corresponding values given by very low aspect ratio theory. The ratios of the values from the two theories are given in Tables 52 to 56. The derivatives $[e_z]_{rs}$, $[-m_z]_{rs}$ were not compared because their very low aspect ratio theory form consists only of the virtual inertia contribution, which is proportional to v_m^2 . The other two stiffness derivatives, as given by very low aspect ratio theory, only differ from two damping derivatives ($[e_a]_{rs}$ from $[e_z]_{rs}$ and $[-m_a]_{rs}$ from $[-m_z]_{rs}$) in the virtual inertia contribution. It has therefore been considered sufficient to perform the comparison for only one of the stiffness derivatives, i.e. $[-m_a]_{rs}$ in addition to the comparison for the damping derivatives.

* e_z has also been obtained for $v_m = 0.53$.

The matrices (\bar{W}^{-1}) from which the generalised force for any mode* can be obtained by using equation (34) are given in Tables 1 to 3 for each of the three planforms. The generalised force for any such mode can alternatively be obtained, as is shown earlier, from the derivative for the modes $|\eta|^n$ by expressing this new mode as a linear combination of such modes.

4 Conclusions

Comparison of the present results, for the wing of aspect ratio 3 at $v_m = 0.26$, with those of reference 2 shows very close agreement except for ℓ_z and ℓ_{α} . ℓ_z is small in any case and of no importance. The two derivatives ℓ_{α} , m_{α} tend to infinity as the frequency approaches zero when the method of reference 1 (and hence of reference 2) is used. Thus some difference in the values of these two derivatives is more to be expected than for the others. The difference in the ℓ_{α} is in no case greater than about 10%. It is suggested that, for this wing, the derivatives for any intermediate value of the frequency parameter should be obtained by interpolation between the values given in this report for $v_m = 0.26$, 0.4 and those given in reference 2 for $v_m = 0.8$.

The comparison of the values of the derivatives for the cropped delta wings with those given by very low aspect ratio theory does not indicate any simple rule for finding the effect of aspect ratio variation. However, the Tables 52 to 56 should be of use when interpolating for the derivatives for wings of other aspect ratios.

REFERENCES

| <u>No.</u> | <u>Author</u> | <u>Title, etc.</u> |
|------------|---------------|---|
| 1 | D.E. Lehrian | Aerodynamic coefficients for an oscillating delta wing. R & M 2841. July, 1951. |
| 2 | D.L. Woodcock | Aerodynamic derivatives for a delta wing oscillating in elastic modes. C.P. No. 170. July 1952. |
| 3 | D.E. Lehrian | Calculation of flutter derivatives for wings of general planform. ARC No. 16,445 0.1094. January 1954. |

* A finer lattice and a greater number of collocation points would however be necessary to ensure accuracy for modes containing more than two nodes in flexure or two nodes in torsion.

Attached:- Tables 1 - 56
 Detachable Abstract Cards

Advance Distribution

This paper has been selected for inclusion
in the A.R.C. Current Paper Series.

CA
DC(A)
DGID(A)
DGSR(A)
DDGG
DDGAF
DAGS
DB
DF
DNA
DAC
ADR Structures Action
ADR (Research) 3
ADSR Records
Secretary ARC 170
TIL

Director, RAE
DDRAE(A)
Aero Dept
GW Dept
Naval Air Dept
Pats 1/RAE
Library RAE
" Bedford

TABLE I
Cropped delta wing, aspect ratio 3, taper ratio $1/7$

Values of $(\bar{N})^{-1}$.

Collocation points $\eta = 0.2, 0.6, 0.8; \theta = \pi/2, \cos^{-1}(-2/3)$

(II) $\nu_1 = 0.26$

$$(\bar{N}^{-1}) = \begin{bmatrix} 0.0225392 & + 0.00200296 & 1 & 0.0290779 & + 0.00414864 & 1 \\ -0.0558895 & - 0.00105171 & 1 & -0.0810537 & - 0.0221190 & 1 \\ -0.0596166 & - 0.00576412 & 1 & 0.0562707 & + 0.0205397 & 1 \\ -1.363582 & - 0.00701844 & 1 & -0.0896934 & - 0.0216108 & 1 \\ -5.287613 & - 0.00890004 & 1 & 5.468798 & + 0.0501289 & 1 \\ 5.030460 & + 0.0184339 & 1 & -2.293577 & - 0.069245 & 1 \end{bmatrix}$$

$$\begin{bmatrix} 0.00602909 & - 0.00027649 & 1 & 0.316227 & + 0.349338 & 1 \\ 0.0510248 & + 0.03740540 & 1 & -0.822098 & - 0.22653 & 1 \\ -0.0226268 & - 0.00955259 & 1 & 0.704850 & + 0.214333 & 1 \\ 0.0216108 & - 0.00035209 & 1 & -1.275028 & - 0.128577 & 1 \\ -1.338292 & - 0.0239398 & 1 & 4.904290 & + 0.507518 & 1 \\ 3.943325 & + 0.0250388 & 1 & -4.713078 & - 0.515066 & 1 \end{bmatrix}$$

(III) $\nu_1 = 0.4$

$$(\bar{N}^{-1}) = \begin{bmatrix} 0.0214493 & + 0.00337816 & 1 & 0.0279290 & + 0.00641046 & 1 \\ -0.0557784 & - 0.00111759 & 1 & -0.0783887 & - 0.0236791 & 1 \\ -0.0933393 & - 0.00886736 & 1 & 0.0525059 & + 0.0303550 & 1 \\ -1.363583 & - 0.0108526 & 1 & -0.0888871 & - 0.018538 & 1 \\ -5.286731 & - 0.00891207 & 1 & 5.469280 & + 0.0760336 & 1 \\ 5.030536 & + 0.0263255 & 1 & -2.296039 & - 0.0744931 & 1 \end{bmatrix}$$

$$\begin{bmatrix} 0.005653982 & - 0.00017732 & 1 & 0.303503 & + 0.0689137 & 1 \\ 0.0600125 & + 0.0112539 & 1 & -0.755140 & - 0.333619 & 1 \\ -0.0214645 & - 0.0143413 & 1 & 0.6765805 & + 0.316415 & 1 \\ -0.0887529 & - 0.0070529 & 1 & -1.266257 & - 0.195948 & 1 \\ -1.337986 & - 0.0357189 & 1 & 4.868004 & + 0.771146 & 1 \\ 3.941939 & + 0.0367235 & 1 & -4.677501 & - 0.780397 & 1 \end{bmatrix}$$

(III) $\nu_1 = 0.5$

$$(\bar{N}^{-1}) = \begin{bmatrix} 0.0201498 & + 0.00465362 & 1 & 0.0264547 & + 0.00865909 & 1 \\ -0.0569559 & - 0.0009229 & 1 & -0.0428276 & - 0.0154878 & 1 \\ -0.0910522 & - 0.0121470 & 1 & 0.0496198 & + 0.0596891 & 1 \\ 1.365065 & - 0.0146867 & 1 & -0.0877573 & - 0.0217537 & 1 \\ -5.289744 & - 0.0101013 & 1 & 5.460572 & + 0.1015938 & 1 \\ 5.030546 & + 0.0345561 & 1 & -2.251532 & - 0.0992654 & 1 \end{bmatrix}$$

$$\begin{bmatrix} 0.00521455 & + 0.000006899 & 1 & 0.287322 & + 0.0910628 & 1 \\ 0.0587255 & + 0.0154878 & 1 & -0.756270 & - 0.455238 & 1 \\ -0.0199258 & - 0.0190396 & 1 & 0.636794 & + 0.413534 & 1 \\ -0.0217513 & - 0.00107614 & 1 & -1.259186 & - 0.261980 & 1 \\ -1.3356737 & - 0.0445544 & 1 & 4.819244 & + 1.051787 & 1 \\ 3.940146 & + 0.04859010 & 1 & -4.628844 & - 1.041169 & 1 \end{bmatrix}$$

$$(\bar{N}^{-1}) = \begin{bmatrix} 0.0185885 & - 0.00297499 & 1 & 0.0166785 & - 0.00292009 & 1 \\ -0.105049 & + 0.105049 & 1 & -0.233730 & - 0.01481525 & 1 \\ 0.185892 & - 0.185892 & 1 & 0.764327 & + 0.0236731 & 1 \\ 0.03618210 & - 0.0358126 & 1 & -0.07626602 & - 0.00169168 & 1 \\ 0.917631 & + 0.917631 & 1 & 0.044523 & + 0.044523 & 1 \\ -0.150782 & - 0.150782 & 1 & -0.227897 & - 0.227897 & 1 \end{bmatrix}$$

TABLE 2

Cropped delta wing, aspect ratio 1.2, taper ratio 1/7

Values of $(\bar{N}^{-1})^t$. Collocation points $\eta = 0.2, 0.6, 0.8; \theta = \pi/2, \cos^{-1}(r^2/3)$ (II) $\nu_B = 0.3$

| | | | | | | | | | | | | | | | | | |
|------------|-------------|---|------------|-------------|---|------------|-------------|---|-----------|------------|---|-----------|-------------|---|-----------|-------------|---|
| -0.0233578 | -0.00633154 | 1 | 0.0216512 | + 0.0056499 | 1 | 0.0231512 | + 0.0056599 | 1 | 0.424736 | + 0.105452 | 1 | 0.0574129 | + 0.0145236 | 1 | 0.0216975 | + 0.0015268 | 1 |
| 0.175257 | + 0.0463258 | 1 | -0.258558 | - 0.054680 | 1 | 0.113704 | + 0.0066980 | 1 | -0.905357 | - 0.387094 | 1 | 1.159472 | + 0.153145 | 1 | -0.236250 | - 0.0101657 | 1 |
| -0.146217 | - 0.0506979 | 1 | 0.269667 | + 0.0731221 | 1 | -0.168775 | - 0.0245991 | 1 | 0.757519 | + 0.342988 | 1 | -1.693524 | - 0.299513 | 1 | 0.909271 | + 0.0839304 | 1 |
| 2.202742 | + 0.0176058 | 1 | 0.162477 | - 0.0169556 | 1 | -0.0101628 | - 0.0125134 | 1 | -2.124794 | - 0.270021 | 1 | -0.380305 | - 0.0211572 | 1 | -0.136046 | - 0.0072790 | 1 |
| -7.928854 | - 0.1222282 | 1 | 7.091582 | + 0.153887 | 1 | -1.240887 | + 0.0243090 | 1 | 7.112414 | + 0.965050 | 1 | -5.327479 | - 0.452844 | 1 | 0.555150 | + 0.0299558 | 1 |
| 7.148552 | + 0.143942 | 1 | -11.760848 | - 0.207086 | 1 | 5.461866 | + 0.0671736 | 1 | -6.500334 | - 0.994395 | 1 | 9.976231 | + 0.838954 | 1 | -1.000238 | - 0.22145 | 1 |

(III) $\nu_B = 0.6$

| | | | | | | | | | | | | | | | | | |
|------------|-------------|---|-----------|-------------|---|-------------|--------------|---|-----------|------------|---|------------|-------------|---|-----------|--------------|---|
| -0.0206650 | - 0.0119868 | 1 | 0.0168866 | + 0.0105896 | 1 | 0.0203329 | + 0.0111276 | 1 | 0.371728 | + 0.203579 | 1 | 0.0598648 | + 0.0294577 | 1 | 0.0195173 | + 0.00325273 | 1 |
| 0.159323 | + 0.0891033 | 1 | -0.240323 | - 0.103755 | 1 | 0.114650 | + 0.0132201 | 1 | -0.751469 | - 0.757274 | 1 | 1.132253 | + 0.304156 | 1 | -0.237348 | - 0.0191279 | 1 |
| -0.127313 | - 0.5968229 | 1 | 0.259203 | + 0.142467 | 1 | -0.163464 | - 0.0461214 | 1 | 0.599416 | + 0.652059 | 1 | -1.622780 | - 0.590945 | 1 | 0.598129 | + 0.166304 | 1 |
| 2.197766 | + 0.0547180 | 1 | 0.167882 | - 0.032300 | 1 | -0.00823626 | - 0.02563556 | 1 | -2.060404 | - 0.541486 | 1 | -0.3833892 | - 0.0464523 | 1 | -0.132800 | - 0.0154407 | 1 |
| -7.578856 | - 0.249853 | 1 | 7.086821 | + 0.304499 | 1 | -1.299385 | - 0.046570 | 1 | 6.927449 | + 1.942545 | 1 | -5.263991 | - 0.893853 | 1 | 0.545952 | + 0.062770 | 1 |
| 7.125644 | + 0.287511 | 1 | -11.7320 | - 0.413313 | 1 | 5.452463 | + 0.135172 | 1 | -6.344536 | - 1.994478 | 1 | 9.856863 | + 1.670265 | 1 | -3.977220 | - 0.483819 | 1 |

TABLE 3

Airfoilhead wing, aspect ratio 1.32, taper ratio 7/18, quarter chord sweep 63.4°

Values of $(\bar{N}^{-1})^t$. Collocation points $\eta = 0.2, 0.6, 0.8; \theta = \pi/2, \cos^{-1}(-2/3)$

(1) $\nu_{\infty} = 0.303$

| | | | | | | |
|--------------------|-----------------------------|---------------------------|--------------------------|-------------------------|---------------------------|----------------------------|
| $(\bar{N}^{-1})^t$ | -0.00577635 - 0.000105285 i | 0.06479368 + 0.01173561 i | 0.0196759 + 0.00546536 i | 0.387154 + 0.0689996 i | 0.00001259 + 0.00111327 i | 0.0056535 - 0.00163208 i |
| | 0.0758004 + 0.0150561 i | -0.370173 - 0.0868947 i | 0.308929 + 0.0425353 i | -0.775009 - 0.279352 i | 1.319743 + 0.208015 i | -0.402102 - 0.0443056 i |
| | -0.07163467 - 0.0184903 i | 0.321429 + 0.0929088 i | -0.365825 - 0.0705055 i | 0.673457 + 0.245051 i | 0.334416 + 1.106342 | + 0.150445 i |
| | 1.531941 + 0.002865905 i | -0.0516418 - 0.0295115 i | -0.0955464 - 0.0754546 i | -1.592778 + 0.1891610 i | -0.188810 + 0.0287518 i | -0.00390675 - 0.00015435 i |
| | -6.254524 - 0.0778466 i | 7.265700 + 0.218052 i | -1.877889 - 0.112978 i | 6.163525 + 0.654616 i | -5.325111 + 0.535050 i | + 0.390078 + 0.107708 i |
| | 6.469489 + 0.0507090 i | -11.67341 - 0.264063 i | 6.677158 + 0.182811 i | -6.229230 - 0.735179 i | 9.561615 + 0.886482 i | -4.837179 - 0.365426 i |

(11) $\nu_{\infty} = 0.608$

| | | | | | | |
|--------------------|----------------------------|--------------------------|--------------------------|------------------------|---------------------------|----------------------------|
| $(\bar{P}^{-1})^t$ | -0.00511643 - 0.00227377 i | 0.0593930 + 0.0228714 i | 0.0179728 + 0.00709472 i | 0.356702 + 0.132832 i | -0.0007175 + 0.00300726 i | 0.00546230 - 0.00308711 i |
| | 0.0403942 + 0.0222148 i | -0.399186 - 0.162542 i | 0.366341 + 0.0814771 i | -0.867654 - 0.324097 i | 1.29328 + 0.399514 i | -0.389372 - 0.085121 i |
| | 0.0517173 - 0.0146117 i | 0.192866 + 0.147824 i | -0.322894 - 0.128895 i | 0.504576 + 0.433993 i | -1.589814 - 0.623117 i | + 0.082574 + 0.290882 i |
| | 1.830324 + 0.00562200 i | -0.0449570 - 0.0567890 i | -0.0494247 + 0.057182 i | -1.362860 - 0.340317 i | -0.193469 + 0.0369877 i | -0.00080582 - 0.00004086 i |
| | -6.171489 + 0.0571077 i | 7.142380 + 0.409285 i | -1.840375 + 0.216303 i | 5.984464 + 1.275760 i | -0.38276 + 1.036891 i | + 0.957777 + 0.215151 i |
| | 6.078788 + 0.0557613 i | -11.193362 - 0.427799 i | 6.537915 + 0.336006 i | -5.775126 - 1.321041 i | 9.124875 + 1.653894 i | -4.731732 - 0.746506 i |

TABLE 4

Cropped delta wing, aspect ratio 3, taper ratio 1/7

Values of (ϵ_z)

(i) $v_m = 0.26$

| | | | | | |
|------------------|-----------|-----------|-----------|-----------|-----------|
| $(\epsilon_z) =$ | -0.01688 | -0.007684 | -0.003288 | -0.001816 | -0.001310 |
| | -0.003725 | -0.003129 | -0.003272 | -0.003475 | -0.003546 |
| | 0.002134 | -0.001024 | -0.002560 | -0.003336 | -0.003675 |
| | 0.005004 | 0.000225 | -0.001932 | -0.003003 | -0.003504 |
| | 0.006474 | 0.001044 | -0.001435 | -0.002688 | -0.003294 |

(ii) $v_m = 0.4$

| | | | | | |
|------------------|-----------|------------|-----------|-----------|-----------|
| $(\epsilon_z) =$ | -0.04775 | -0.02489 | -0.01351 | -0.009325 | -0.07509 |
| | -0.01718 | -0.01217 | -0.01102 | -0.01075 | -0.01041 |
| | -0.003217 | -0.006464 | -0.008537 | -0.009640 | -0.009997 |
| | 0.003864 | -0.003089 | -0.006656 | -0.008490 | -0.009253 |
| | 0.007686 | -0.0008700 | -0.005244 | -0.007526 | -0.008549 |

TABLE 5

Cropped delta wing, aspect ratio 3, taper ratio $1/7$ Values of (ℓ_a) (i) $v_m = 0.26$

| | | | | | |
|--------------|-------|-------|-------|-------|-------|
| $(\ell_a) =$ | 1.501 | 1.628 | 1.639 | 1.647 | 1.613 |
| | 1.676 | 1.448 | 1.378 | 1.344 | 1.291 |
| | 1.764 | 1.403 | 1.292 | 1.232 | 1.167 |
| | 1.806 | 1.379 | 1.244 | 1.169 | 1.095 |
| | 1.822 | 1.358 | 1.210 | 1.126 | 1.044 |

(ii) $v_m = 0.4$

| | | | | | |
|--------------|-------|-------|-------|-------|-------|
| $(\ell_a) =$ | 1.473 | 1.590 | 1.611 | 1.619 | 1.586 |
| | 1.639 | 1.424 | 1.359 | 1.326 | 1.275 |
| | 1.722 | 1.381 | 1.276 | 1.219 | 1.154 |
| | 1.761 | 1.358 | 1.230 | 1.158 | 1.084 |
| | 1.775 | 1.338 | 1.197 | 1.115 | 1.036 |

TABLE 6

Cropped delta wing, aspect ratio 3, taper ratio 1/7

Values of ($-m_z$)

(i) $v_m = 0.26$

| | | | | | |
|------------|-----------|-----------|-----------|-----------|-----------|
| $(-m_z)$ = | -0.008716 | -0.008535 | -0.007933 | -0.007628 | -0.007293 |
| | -0.008272 | -0.005692 | -0.004604 | -0.004093 | -0.003718 |
| | -0.007832 | -0.004617 | -0.003451 | -0.002926 | -0.002573 |
| | -0.007420 | -0.003994 | -0.002837 | -0.002331 | -0.002008 |
| | -0.007045 | -0.003565 | -0.002445 | -0.001966 | -0.001670 |

(ii) $v_m = 0.4$

| | | | | | |
|------------|----------|-----------|-----------|-----------|-----------|
| $(-m_z)$ = | -0.01760 | -0.01706 | -0.01574 | -0.01508 | -0.01440 |
| | -0.01642 | -0.01126 | -0.009097 | -0.008092 | -0.007357 |
| | -0.01543 | -0.009102 | -0.006819 | -0.005799 | -0.005115 |
| | -0.01459 | -0.007867 | -0.005614 | -0.004635 | -0.004011 |
| | -0.01385 | -0.007025 | -0.004843 | -0.003921 | -0.003350 |

TABLE 7

Cropped delta wing, aspect ratio 3, taper ratio $1/7$

Values of $(-m_\alpha)$

(i) $v_m = 0.26$

| | | | | | |
|-----------------|---------|---------|---------|---------|---------|
| $(-m_\alpha) =$ | -0.3460 | -0.3862 | -0.3769 | -0.3756 | -0.3708 |
| | -0.4029 | -0.3589 | -0.3430 | -0.3366 | -0.3258 |
| | -0.4415 | -0.3628 | -0.3370 | -0.3240 | -0.3092 |
| | -0.4673 | -0.3684 | -0.3351 | -0.3172 | -0.2994 |
| | -0.4841 | -0.3721 | -0.3338 | -0.3123 | -0.2922 |

(ii) $v_m = 0.4$

| | | | | | |
|-----------------|---------|---------|---------|---------|---------|
| $(-m_\alpha) =$ | -0.3435 | -0.3807 | -0.3687 | -0.3656 | -0.3598 |
| | -0.3977 | -0.3538 | -0.3378 | -0.3313 | -0.3203 |
| | -0.4344 | -0.3576 | -0.3325 | -0.3198 | -0.3054 |
| | -0.4590 | -0.3631 | -0.3311 | -0.3137 | -0.2963 |
| | -0.4749 | -0.3668 | -0.3300 | -0.3092 | -0.2896 |

TABLE 8

Cropped delta wing, aspect ratio 3, taper ratio $1/7$

Values of (ℓ_z)

(i) $v_m = 0.26$

| | | | | | |
|--------------|-------|-------|-------|-------|-------|
| | 1.490 | 1.619 | 1.631 | 1.640 | 1.608 |
| | 1.665 | 1.440 | 1.373 | 1.340 | 1.288 |
| (ℓ_z) = | 1.752 | 1.397 | 1.288 | 1.229 | 1.164 |
| | 1.794 | 1.373 | 1.240 | 1.167 | 1.093 |
| | 1.810 | 1.352 | 1.206 | 1.123 | 1.043 |

(ii) $v_m = 0.4$

| | | | | | |
|--------------|-------|-------|-------|-------|-------|
| | 1.452 | 1.581 | 1.596 | 1.606 | 1.575 |
| | 1.618 | 1.410 | 1.349 | 1.318 | 1.268 |
| (ℓ_z) = | 1.701 | 1.368 | 1.267 | 1.212 | 1.150 |
| | 1.739 | 1.345 | 1.222 | 1.152 | 1.080 |
| | 1.754 | 1.325 | 1.189 | 1.110 | 1.032 |

(iii) $v_m = 0.53$

| | | | | | |
|--------------|-------|-------|-------|-------|-------|
| | 1.413 | 1.543 | 1.560 | 1.571 | 1.542 |
| | 1.569 | 1.378 | 1.324 | 1.297 | 1.249 |
| (ℓ_z) = | 1.646 | 1.339 | 1.247 | 1.195 | 1.135 |
| | 1.682 | 1.317 | 1.204 | 1.138 | 1.068 |
| | 1.694 | 1.299 | 1.172 | 1.097 | 1.021 |

TABLE 9

Cropped delta wing, aspect ratio 3, taper ratio $1/7$

Values of (ℓ_α)

(i) $v_m = 0.26$

| | | | | | | |
|-----------------|---|--------|--------|--------|--------|--------|
| (ℓ_α) | = | 0.6072 | 0.6036 | 0.5348 | 0.5192 | 0.5225 |
| | | 0.5962 | 0.5188 | 0.5240 | 0.5641 | 0.5994 |
| | | 0.5433 | 0.4789 | 0.5155 | 0.5734 | 0.6173 |
| | | 0.4807 | 0.4425 | 0.5041 | 0.5749 | 0.6245 |
| | | 0.4205 | 0.4056 | 0.4901 | 0.5736 | 0.6284 |

(ii) $v_m = 0.4$

| | | | | | | |
|-----------------|---|--------|--------|--------|--------|--------|
| (ℓ_α) | = | 0.6478 | 0.6618 | 0.6055 | 0.6002 | 0.6100 |
| | | 0.6585 | 0.5753 | 0.5794 | 0.6198 | 0.6543 |
| | | 0.6251 | 0.5389 | 0.5674 | 0.6213 | 0.6620 |
| | | 0.5791 | 0.5064 | 0.5550 | 0.6194 | 0.6641 |
| | | 0.5327 | 0.4730 | 0.5409 | 0.6160 | 0.6644 |

TABLE 10

Cropped delta wing, aspect ratio 3, taper ratio 1/7Values of $(-m_z)$ (i) $v_m = 0.26$

| | | | | | |
|----------|---------|---------|---------|---------|---------|
| $(-m_z)$ | -0.3409 | -0.3814 | -0.3731 | -0.3723 | -0.3677 |
| | -0.3980 | -0.3556 | -0.3405 | -0.3345 | -0.3239 |
| | -0.4366 | -0.3599 | -0.3350 | -0.3223 | -0.3077 |
| | -0.4623 | -0.3659 | -0.3334 | -0.3158 | -0.2982 |
| | -0.4792 | -0.3693 | -0.3323 | -0.3111 | -0.2911 |

(ii) $v_m = 0.4$

| | | | | | |
|----------|---------|---------|---------|---------|---------|
| $(-m_z)$ | -0.3326 | -0.3706 | -0.3608 | -0.3587 | -0.3535 |
| | -0.3873 | -0.3469 | -0.3326 | -0.3268 | -0.3163 |
| | -0.4243 | -0.3518 | -0.3284 | -0.3164 | -0.3023 |
| | -0.4490 | -0.3579 | -0.3276 | -0.3108 | -0.2938 |
| | -0.4650 | -0.3621 | -0.3268 | -0.3067 | -0.2873 |

TABLE 11

Cropped delta wing, aspect ratio 3, taper ratio $\frac{1}{7}$

Values of $(-m_\alpha)$

(i) $v_m = 0.26$

| | | | | | |
|---------------|--------|--------|--------|--------|--------|
| $(-m_\alpha)$ | 0.1443 | 0.2078 | 0.2545 | 0.3082 | 0.3587 |
| | 0.1783 | 0.1811 | 0.1980 | 0.2226 | 0.2444 |
| | 0.2096 | 0.1805 | 0.1829 | 0.1957 | 0.2072 |
| | 0.2399 | 0.1840 | 0.1763 | 0.1826 | 0.1891 |
| | 0.2692 | 0.1876 | 0.1723 | 0.1748 | 0.1785 |

(ii) $v_m = 0.4$

| | | | | | |
|---------------|--------|--------|--------|--------|--------|
| $(-m_\alpha)$ | 0.1383 | 0.1967 | 0.2380 | 0.2860 | 0.3314 |
| | 0.1676 | 0.1694 | 0.1847 | 0.2075 | 0.2277 |
| | 0.1941 | 0.1676 | 0.1703 | 0.1829 | 0.1941 |
| | 0.2200 | 0.1698 | 0.1640 | 0.1709 | 0.1779 |
| | 0.2455 | 0.1723 | 0.1600 | 0.1638 | 0.1634 |

TABLE 12

Cropped delta wing, aspect ratio 1.2, taper ratio 1/7

Values of (ℓ_z)

(i) $v_m = 0.3$

| | | | | | |
|--------------|-----------|-----------|-----------|-----------|-----------|
| (ℓ_z) = | -0.03550 | -0.02319 | -0.01612 | -0.01277 | -0.01068 |
| | -0.02223 | -0.01416 | -0.01118 | -0.009750 | -0.008700 |
| | -0.01541 | -0.01032 | -0.008756 | -0.008008 | -0.007365 |
| | -0.01146 | -0.008062 | -0.007237 | -0.006856 | -0.006441 |
| | -0.008968 | -0.006556 | -0.006178 | -0.006030 | -0.005763 |

(ii) $v_m = 0.6$

| | | | | | |
|--------------|----------|----------|----------|----------|----------|
| (ℓ_z) = | -0.1461 | -0.09629 | -0.06754 | -0.05382 | -0.04520 |
| | -0.09320 | -0.05940 | -0.04681 | -0.04074 | -0.03627 |
| | -0.06585 | -0.04370 | -0.03676 | -0.03340 | -0.03057 |
| | -0.04989 | -0.03446 | -0.03046 | -0.02858 | -0.02668 |
| | -0.03973 | -0.02827 | -0.02608 | -0.02514 | -0.02385 |

TABLE 13

Cropped delta wing, aspect ratio 1.2, taper ratio $1/7$

Values of (ℓ_α)

(i) $v_m = 0.3$

| | | | | | |
|-------------------|--------|--------|--------|--------|--------|
| $(\ell_\alpha) =$ | 0.8107 | 0.9020 | 0.9246 | 0.9380 | 0.9242 |
| | 0.9136 | 0.7818 | 0.7403 | 0.7198 | 0.6906 |
| | 0.9667 | 0.7484 | 0.6781 | 0.6412 | 0.6038 |
| | 0.9931 | 0.7300 | 0.6440 | 0.5979 | 0.5553 |
| | 1.004 | 0.7154 | 0.6206 | 0.5688 | 0.5228 |

(ii) $v_m = 0.6$

| | | | | | |
|-------------------|--------|--------|--------|--------|--------|
| $(\ell_\alpha) =$ | 0.8075 | 0.9016 | 0.9251 | 0.9377 | 0.9228 |
| | 0.8950 | 0.7744 | 0.7366 | 0.7165 | 0.6870 |
| | 0.9403 | 0.7391 | 0.6735 | 0.6374 | 0.5998 |
| | 0.9620 | 0.7202 | 0.6394 | 0.5941 | 0.5514 |
| | 0.9698 | 0.7054 | 0.6161 | 0.5650 | 0.5189 |

TABLE 14

Cropped delta wing, aspect ratio 1.2, taper ratio $1/7$

Values of $(-m_z)$

(i) $v_m = 0.3$

| | | | | | |
|------------|-----------|-----------|-----------|-----------|-----------|
| $(-m_z) =$ | -0.004802 | -0.005200 | -0.005453 | -0.005793 | -0.005984 |
| | -0.004144 | -0.003042 | -0.002753 | -0.002732 | -0.002718 |
| | -0.003815 | -0.002305 | -0.001906 | -0.001813 | -0.001762 |
| | -0.003627 | -0.001923 | -0.001490 | -0.001380 | -0.001321 |
| | -0.003503 | -0.001683 | -0.001241 | -0.001127 | -0.001069 |

(ii) $v_m = 0.6$

| | | | | | |
|------------|----------|-----------|-----------|-----------|-----------|
| $(-m_z) =$ | -0.01937 | -0.02091 | -0.02186 | -0.02316 | -0.02388 |
| | -0.01590 | -0.01169 | -0.01060 | -0.01054 | -0.01051 |
| | -0.01416 | -0.008560 | -0.007125 | -0.006830 | -0.006674 |
| | -0.01320 | -0.006975 | -0.005451 | -0.005104 | -0.004931 |
| | -0.01262 | -0.006004 | -0.004464 | -0.004118 | -0.003953 |

TABLE 15

Cropped delta wing, aspect ratio 1.2, taper ratio $\frac{1}{7}$ Values of $(-m_\alpha)$ (i) $v_m = 0.3$

| | | | | | | |
|---------------|---|---------|---------|---------|---------|----------|
| $(-m_\alpha)$ | = | -0.1620 | -0.1630 | -0.1352 | -0.1119 | -0.09064 |
| | | -0.2050 | -0.1736 | -0.1576 | -0.1479 | -0.1375 |
| | | -0.2392 | -0.1886 | -0.1697 | -0.1595 | -0.1495 |
| | | -0.2657 | -0.2006 | -0.1774 | -0.1650 | -0.1538 |
| | | -0.2859 | -0.2096 | -0.1826 | -0.1679 | -0.1552 |

(ii) $v_m = 0.6$

| | | | | | | |
|---------------|---|---------|---------|---------|---------|----------|
| $(-m_\alpha)$ | = | -0.1731 | -0.1716 | -0.1403 | -0.1154 | -0.09352 |
| | | -0.2121 | -0.1772 | -0.1595 | -0.1493 | -0.1388 |
| | | -0.2435 | -0.1902 | -0.1704 | -0.1600 | -0.1502 |
| | | -0.2681 | -0.2010 | -0.1774 | -0.1651 | -0.1541 |
| | | -0.2869 | -0.2091 | -0.1820 | -0.1677 | -0.1553 |

TABLE 16

Cropped delta wing, aspect ratio 1.2, taper ratio $1/7$

Values of (ℓ_z)

(i) $v_m = 0.3$

| | | | | | |
|--------------|--------|--------|--------|--------|--------|
| $(\ell_z) =$ | 0.8055 | 0.8966 | 0.9197 | 0.9334 | 0.9201 |
| | 0.9100 | 0.7787 | 0.7377 | 0.7176 | 0.6888 |
| | 0.9637 | 0.7460 | 0.6762 | 0.6398 | 0.6027 |
| | 0.9905 | 0.7279 | 0.6425 | 0.5968 | 0.5545 |
| | 1.0017 | 0.7134 | 0.6191 | 0.5678 | 0.5221 |

(ii) $v_m = 0.6$

| | | | | | |
|--------------|--------|--------|--------|--------|--------|
| $(\ell_z) =$ | 0.7880 | 0.8814 | 0.9064 | 0.9205 | 0.9072 |
| | 0.8827 | 0.7635 | 0.7271 | 0.7084 | 0.6802 |
| | 0.9309 | 0.7309 | 0.6667 | 0.6321 | 0.5958 |
| | 0.9541 | 0.7131 | 0.6338 | 0.5900 | 0.5486 |
| | 0.9628 | 0.6988 | 0.6111 | 0.5617 | 0.5168 |

TABLE 17

Cropped delta wing, aspect ratio 1.2, taper ratio 1/7

Values of (ℓ_α)

(i) $v_m = 0.3$

| | | | | | |
|-------------------|--------|--------|--------|--------|--------|
| (ℓ_α) = | 0.5175 | 0.5799 | 0.5777 | 0.5940 | 0.6066 |
| | 0.6206 | 0.5334 | 0.5187 | 0.5348 | 0.5472 |
| | 0.6866 | 0.5314 | 0.5049 | 0.5147 | 0.5224 |
| | 0.7317 | 0.5325 | 0.4989 | 0.5047 | 0.5087 |
| | 0.7637 | 0.5314 | 0.4941 | 0.4983 | 0.4998 |

(ii) $v_m = 0.6$

| | | | | | |
|-------------------|--------|--------|--------|--------|--------|
| (ℓ_α) = | 0.5190 | 0.5863 | 0.5885 | 0.6079 | 0.6223 |
| | 0.6217 | 0.5400 | 0.5285 | 0.5457 | 0.5584 |
| | 0.6877 | 0.5391 | 0.5149 | 0.5250 | 0.5320 |
| | 0.7326 | 0.5413 | 0.5093 | 0.5148 | 0.5177 |
| | 0.7639 | 0.5410 | 0.5051 | 0.5084 | 0.5083 |

TABLE 18

Cropped delta wing, aspect ratio 1.2, taper ratio 1/7

Values of ($-m_z$)

(i) $v_m = 0.3$

| | | | | | |
|----------|---------|---------|---------|---------|----------|
| $(-m_z)$ | -0.1576 | -0.1588 | -0.1317 | -0.1087 | -0.08744 |
| | -0.2011 | -0.1710 | -0.1555 | -0.1460 | -0.1358 |
| | -0.2356 | -0.1865 | -0.1682 | -0.1581 | -0.1483 |
| | -0.2622 | -0.1989 | -0.1762 | -0.1639 | -0.1528 |
| | -0.2824 | -0.2080 | -0.1815 | -0.1670 | -0.1544 |

(ii) $v_m = 0.6$

| | | | | | |
|----------|---------|---------|---------|---------|----------|
| $(-m_z)$ | -0.1556 | -0.1547 | -0.1262 | -0.1023 | -0.08080 |
| | -0.1969 | -0.1670 | -0.1515 | -0.1420 | -0.1319 |
| | -0.2296 | -0.1823 | -0.1646 | -0.1549 | -0.1453 |
| | -0.2548 | -0.1944 | -0.1728 | -0.1610 | -0.1502 |
| | -0.2739 | -0.2033 | -0.1782 | -0.1643 | -0.1521 |

TABLE 19

Cropped delta wing, aspect ratio 1.2, taper ratio $1/7$

Values of $(-m_\alpha)$

(i) $v_m = 0.3$

| | | | | | | |
|---------------|---|---------|---------|---------|---------|--------|
| $(-m_\alpha)$ | = | 0.09106 | 0.1370 | 0.1786 | 0.2291 | 0.2797 |
| | | 0.09904 | 0.1034 | 0.1202 | 0.1445 | 0.1683 |
| | | 0.1030 | 0.09157 | 0.1006 | 0.1170 | 0.1329 |
| | | 0.1058 | 0.08415 | 0.08966 | 0.1030 | 0.1156 |
| | | 0.1087 | 0.07805 | 0.08193 | 0.09420 | 0.1054 |

(ii) $v_m = 0.6$

| | | | | | | |
|---------------|---|---------|---------|---------|---------|--------|
| $(-m_\alpha)$ | = | 0.09171 | 0.1383 | 0.1803 | 0.2310 | 0.2815 |
| | | 0.09887 | 0.1031 | 0.1197 | 0.1436 | 0.1670 |
| | | 0.1018 | 0.09027 | 0.09906 | 0.1153 | 0.1309 |
| | | 0.1036 | 0.08213 | 0.08757 | 0.1008 | 0.1133 |
| | | 0.1057 | 0.07547 | 0.07941 | 0.09171 | 0.1030 |

TABLE 20

Arrowhead wing, aspect ratio 1.52, taper ratio 7/18,
quarter chord sweep 63.4°

Values of (ϵ_z)

(i) $v_m = 0.303$

| | | | | | |
|------------------|-----------|-----------|-----------|-----------|-----------|
| (ϵ_z) = | -0.02406 | -0.01875 | -0.01535 | -0.01348 | -0.01202 |
| | -0.01621 | -0.01342 | -0.01227 | -0.01143 | -0.01053 |
| | -0.01201 | -0.01096 | -0.01054 | -0.01005 | -0.009386 |
| | -0.009483 | -0.009387 | -0.009350 | -0.009059 | -0.008532 |
| | -0.007834 | -0.008265 | -0.008464 | -0.008305 | -0.007868 |

(ii) $v_m = 0.606$

| | | | | | |
|------------------|----------|----------|----------|----------|----------|
| (ϵ_z) = | -0.1013 | -0.07912 | -0.06469 | -0.05665 | -0.05035 |
| | -0.06999 | -0.05706 | -0.05155 | -0.04762 | -0.04363 |
| | -0.05295 | -0.04689 | -0.04433 | -0.04183 | -0.03879 |
| | -0.04254 | -0.04041 | -0.03940 | -0.03770 | -0.03522 |
| | -0.03563 | -0.03577 | -0.03574 | -0.03458 | -0.03247 |

TABLE 21

Arrowhead wing, aspect ratio 1.32, taper ratio 7/18,
quarter chord sweep 63.4°

Values of (ϵ_α)

(i) $v_m = 0.303$

| | | | | | |
|-----------------------|--------|--------|--------|--------|--------|
| $(\epsilon_\alpha) =$ | 0.8271 | 0.7985 | 0.7383 | 0.6935 | 0.6437 |
| | 0.8430 | 0.6569 | 0.5794 | 0.5328 | 0.4888 |
| | 0.8267 | 0.5981 | 0.5135 | 0.4648 | 0.4220 |
| | 0.8005 | 0.5588 | 0.4723 | 0.4230 | 0.3812 |
| | 0.7720 | 0.5280 | 0.4422 | 0.3933 | 0.3523 |

(ii) $v_m = 0.606$

| | | | | | |
|-----------------------|--------|--------|--------|--------|--------|
| $(\epsilon_\alpha) =$ | 0.8133 | 0.7888 | 0.7320 | 0.6891 | 0.6406 |
| | 0.8222 | 0.6457 | 0.5728 | 0.5286 | 0.4861 |
| | 0.8031 | 0.5865 | 0.5069 | 0.4607 | 0.4196 |
| | 0.7757 | 0.5471 | 0.4659 | 0.4192 | 0.3789 |
| | 0.7467 | 0.5164 | 0.4359 | 0.3896 | 0.3501 |

TABLE 22

Arrowhead wing, aspect ratio 1.32, taper ratio 7/18,
quarter chord sweep 63.4°

Values of (-m_z)

(i) v_m = 0.303

| | | | | | |
|----------------------|-----------|-----------|------------|------------|------------|
| (-m _z) = | -0.003742 | -0.003389 | -0.003105 | -0.002999 | -0.002889 |
| | -0.004045 | -0.001994 | -0.001380 | -0.001260 | -0.001240 |
| | -0.003575 | -0.001725 | -0.001211 | -0.001067 | -0.0009967 |
| | -0.002869 | -0.001240 | -0.0008435 | -0.0007491 | -0.0007090 |
| | -0.003529 | -0.001332 | -0.0008045 | -0.0006738 | -0.0006208 |

(ii) v_m = 0.606

| | | | | | |
|----------------------|-----------|-----------|-----------|-----------|-----------|
| (-m _z) = | -0.01377 | -0.01282 | -0.01196 | -0.01163 | -0.01123 |
| | -0.01421 | -0.007190 | -0.005162 | -0.004817 | -0.004786 |
| | -0.01192 | -0.006082 | -0.004502 | -0.004069 | -0.003844 |
| | -0.008849 | -0.004140 | -0.003057 | -0.002827 | -0.002719 |
| | -0.01140 | -0.004538 | -0.002935 | -0.002554 | -0.002392 |

TABLE 23

Arrowhead wing, aspect ratio 1.32, taper ratio 7/18,
quarter chord sweep 63.4°

Values of ($-m_\alpha$)

(i) $v_m = 0.303$

| | | | | | |
|-----------------|---------|---------|---------|---------|---------|
| $(-m_\alpha)$ = | -0.1906 | -0.1778 | -0.1527 | -0.1372 | -0.1242 |
| | -0.2220 | -0.1755 | -0.1561 | -0.1456 | -0.1355 |
| | -0.2452 | -0.1823 | -0.1578 | -0.1433 | -0.1304 |
| | -0.2567 | -0.1857 | -0.1587 | -0.1426 | -0.1287 |
| | -0.2552 | -0.1800 | -0.1524 | -0.1362 | -0.1225 |

(ii) $v_m = 0.606$

| | | | | | |
|-----------------|---------|---------|---------|---------|---------|
| $(-m_\alpha)$ = | -0.1936 | -0.1795 | -0.1531 | -0.1367 | -0.1232 |
| | -0.2239 | -0.1761 | -0.1560 | -0.1451 | -0.1348 |
| | -0.2450 | -0.1826 | -0.1581 | -0.1434 | -0.1303 |
| | -0.2545 | -0.1854 | -0.1588 | -0.1426 | -0.1285 |
| | -0.2542 | -0.1801 | -0.1526 | -0.1363 | -0.1224 |

TABLE 24

Arrowhead wing, aspect ratio 1.32, taper ratio 7/18,
quarter chord sweep 63.4°

Values of (ℓ_z)

(i) $v_m = 0.303$

| | | | | | |
|--------------|--------|--------|--------|--------|--------|
| (ℓ_z) = | 0.8239 | 0.7957 | 0.7359 | 0.6913 | 0.6418 |
| | 0.8402 | 0.6553 | 0.5783 | 0.5318 | 0.4879 |
| | 0.8239 | 0.5968 | 0.5127 | 0.4641 | 0.4215 |
| | 0.7977 | 0.5577 | 0.4717 | 0.4226 | 0.3808 |
| | 0.7692 | 0.5270 | 0.4417 | 0.3929 | 0.3520 |

(ii) $v_m = 0.606$

| | | | | | |
|--------------|--------|--------|--------|--------|--------|
| (ℓ_z) = | 0.8024 | 0.7790 | 0.7233 | 0.6810 | 0.6332 |
| | 0.8129 | 0.6403 | 0.5687 | 0.5250 | 0.4827 |
| | 0.7939 | 0.5825 | 0.5044 | 0.4587 | 0.4177 |
| | 0.7664 | 0.5438 | 0.4641 | 0.4179 | 0.3778 |
| | 0.7373 | 0.5135 | 0.4346 | 0.3887 | 0.3494 |

TABLE 25

Arrowhead wing, aspect ratio 1.32, taper ratio 7/18,
quarter chord sweep 63.4°

Values of (ℓ_α)

(i) $v_m = 0.303$

| | | | | | |
|-------------------|--------|--------|--------|--------|--------|
| (ℓ_α) = | 0.4968 | 0.4884 | 0.4460 | 0.4217 | 0.3974 |
| | 0.5196 | 0.4334 | 0.4030 | 0.3875 | 0.3685 |
| | 0.5147 | 0.4108 | 0.3810 | 0.3655 | 0.3470 |
| | 0.5010 | 0.3930 | 0.3641 | 0.3485 | 0.3299 |
| | 0.4849 | 0.3768 | 0.3496 | 0.3344 | 0.3158 |

(ii) $v_m = 0.606$

| | | | | | |
|-------------------|--------|--------|--------|--------|--------|
| (ℓ_α) = | 0.5021 | 0.4991 | 0.4590 | 0.4345 | 0.4089 |
| | 0.5254 | 0.4447 | 0.4150 | 0.3982 | 0.3773 |
| | 0.5199 | 0.4230 | 0.3933 | 0.3757 | 0.3548 |
| | 0.5048 | 0.4059 | 0.3767 | 0.3585 | 0.3374 |
| | 0.4872 | 0.3902 | 0.3623 | 0.3442 | 0.3230 |

TABLE 26

Arrowhead wing, aspect ratio 1.32, taper ratio 7/18,
quarter chord sweep 63.4°

Values of (-m_z)

(i) v_m = 0.303

| | | | | | |
|----------------------|---------|---------|---------|---------|---------|
| (-m _z) = | -0.1880 | -0.1757 | -0.1511 | -0.1358 | -0.1229 |
| | -0.2193 | -0.1741 | -0.1551 | -0.1447 | -0.1346 |
| | -0.2427 | -0.1810 | -0.1569 | -0.1425 | -0.1297 |
| | -0.2545 | -0.1846 | -0.1579 | -0.1419 | -0.1280 |
| | -0.2527 | -0.1790 | -0.1518 | -0.1356 | -0.1219 |

(ii) v_m = 0.606

| | | | | | |
|----------------------|---------|---------|---------|---------|---------|
| (-m _z) = | -0.1834 | -0.1711 | -0.1465 | -0.1310 | -0.1179 |
| | -0.2138 | -0.1705 | -0.1520 | -0.1415 | -0.1313 |
| | -0.2362 | -0.1778 | -0.1544 | -0.1401 | -0.1272 |
| | -0.2473 | -0.1815 | -0.1557 | -0.1397 | -0.1258 |
| | -0.2459 | -0.1763 | -0.1498 | -0.1337 | -0.1199 |

TABLE 27

Arrowhead wing, aspect ratio 1.32, taper ratio 7/18,
quarter chord sweep 63.4°

Values of ($-m_\alpha$)

(i) $v_m = 0.303$

| | | | | | |
|-----------------|---------|---------|---------|---------|---------|
| $(-m_\alpha)$ = | 0.07849 | 0.05906 | 0.1148 | 0.1262 | 0.1325 |
| | 0.05297 | 0.06823 | 0.06671 | 0.07349 | 0.07991 |
| | 0.07889 | 0.06307 | 0.06444 | 0.06913 | 0.07205 |
| | 0.05453 | 0.04698 | 0.05200 | 0.05780 | 0.06104 |
| | 0.08237 | 0.05151 | 0.05050 | 0.05436 | 0.05672 |

(ii) $v_m = 0.606$

| | | | | | |
|-----------------|---------|---------|---------|---------|---------|
| $(-m_\alpha)$ = | 0.07669 | 0.05873 | 0.1150 | 0.1265 | 0.1324 |
| | 0.04980 | 0.06713 | 0.06724 | 0.07419 | 0.08029 |
| | 0.07055 | 0.06153 | 0.06484 | 0.06971 | 0.07236 |
| | 0.04365 | 0.04523 | 0.05248 | 0.05844 | 0.06140 |
| | 0.06930 | 0.04970 | 0.05113 | 0.05515 | 0.05718 |

TABLE 28

Cropped delta wing, aspect ratio 3, taper ratio $1/7$

Values of $[\epsilon_z]$

(i) $\nu_m = 0.26$

| | | | | | |
|------------------|-----------|-----------|-----------|-----------|-----------|
| $[\epsilon_z] =$ | -0.016877 | -0.003842 | -0.001096 | -0.000454 | -0.000262 |
| | -0.001863 | -0.001043 | -0.000818 | -0.000695 | -0.000591 |
| | 0.0007115 | -0.000256 | -0.000512 | -0.000556 | -0.000525 |
| | 0.001251 | 0.000045 | -0.000322 | -0.000429 | -0.000438 |
| | 0.001295 | 0.000174 | -0.000205 | -0.000336 | -0.000366 |

(ii) $\nu_m = 0.4$

| | | | | | |
|------------------|-----------|------------|------------|------------|------------|
| $[\epsilon_z] =$ | -0.04775 | -0.01245 | -0.004504 | -0.002331 | -0.001502 |
| | -0.008588 | -0.004056 | -0.002755 | -0.002150 | -0.001736 |
| | -0.001072 | -0.001616 | -0.001707 | -0.001607 | -0.001428 |
| | 0.0009661 | -0.0006178 | -0.001109 | -0.001213 | -0.001157 |
| | 0.001537 | -0.0001450 | -0.0007491 | -0.0009408 | -0.0009499 |

TABLE 29

Cropped delta wing, aspect ratio 3, taper ratio 1/7

Values of $[e_\alpha]$

(i) $v_m = 0.26$

| | | | | | |
|----------------|--------|--------|---------|---------|---------|
| $[e_\alpha] =$ | 1.501 | 0.6106 | 0.3415 | 0.2264 | 0.1613 |
| | 0.6285 | 0.3016 | 0.1895 | 0.1344 | 0.09989 |
| | 0.3675 | 0.1929 | 0.1292 | 0.09537 | 0.07291 |
| | 0.2483 | 0.1379 | 0.09628 | 0.07309 | 0.05701 |
| | 0.1822 | 0.1051 | 0.07562 | 0.05863 | 0.04642 |

(ii) $v_m = 0.4$

| | | | | | |
|----------------|--------|--------|---------|---------|---------|
| $[e_\alpha] =$ | 1.473 | 0.5961 | 0.3357 | 0.2226 | 0.1586 |
| | 0.6148 | 0.2966 | 0.1869 | 0.1326 | 0.09865 |
| | 0.3588 | 0.1899 | 0.1276 | 0.09432 | 0.07215 |
| | 0.2422 | 0.1358 | 0.09519 | 0.07237 | 0.05648 |
| | 0.1775 | 0.1035 | 0.07482 | 0.05809 | 0.04603 |

TABLE 30

Cropped delta wing, aspect ratio 3, taper ratio $1/7$

Values of $[-m_z]$

(i) $v_m = 0.26$

| | | | | | |
|------------|------------|------------|------------|------------|------------|
| $[-m_z] =$ | -0.008716 | -0.003201 | -0.001653 | -0.001049 | -0.0007293 |
| | -0.003102 | -0.001186 | -0.0006330 | -0.0004093 | -0.0002877 |
| | -0.001632 | -0.0006348 | -0.0003451 | -0.0002264 | -0.0001608 |
| | -0.001020 | -0.0003994 | -0.0002195 | -0.0001457 | -0.0001046 |
| | -0.0007045 | -0.0002759 | -0.0001528 | -0.0001024 | -0.0000742 |

(ii) $v_m = 0.4$

| | | | | | |
|------------|-----------|------------|------------|------------|------------|
| $[-m_z] =$ | -0.01760 | -0.006398 | -0.003279 | -0.002074 | -0.001440 |
| | -0.006158 | -0.002347 | -0.001251 | -0.0008092 | -0.0005693 |
| | -0.003216 | -0.001252 | -0.0006819 | -0.0004487 | -0.0003197 |
| | -0.002006 | -0.0007867 | -0.0004344 | -0.0002897 | -0.0002089 |
| | -0.001385 | -0.0005436 | -0.0003027 | -0.0002042 | -0.0001489 |

TABLE 31

Cropped delta wing, aspect ratio 3, taper ratio $1/7$ Values of $[-m_\alpha]$ (i) $v_m = 0.26$

| | | | | | |
|-----------------|----------|----------|----------|-----------|-----------|
| $[-m_\alpha] =$ | -0.4108 | -0.1327 | -0.05968 | -0.03404 | -0.02185 |
| | -0.1385 | -0.05682 | -0.03108 | -0.01984 | -0.01357 |
| | -0.06991 | -0.03287 | -0.01986 | -0.01350 | -0.009662 |
| | -0.04235 | -0.02171 | -0.01396 | -0.009911 | -0.007330 |
| | -0.02853 | -0.01550 | -0.01043 | -0.007645 | -0.005792 |

(ii) $v_m = 0.4$

| | | | | | |
|-----------------|----------|----------|----------|-----------|-----------|
| $[-m_\alpha] =$ | -0.4080 | -0.1309 | -0.05838 | -0.03313 | -0.02120 |
| | -0.1367 | -0.05603 | -0.03061 | -0.01952 | -0.01335 |
| | -0.06878 | -0.03241 | -0.01959 | -0.01333 | -0.009543 |
| | -0.04159 | -0.02140 | -0.01380 | -0.009804 | -0.007254 |
| | -0.02799 | -0.01529 | -0.01031 | -0.007569 | -0.005740 |

TABLE 32

Cropped delta wing, aspect ratio 3, taper ratio 1/7

Values of $[e_z]$

(i) $v_m = 0.26$

| | | | | | |
|-----------|--------|--------|---------|---------|---------|
| $[e_z] =$ | 1.490 | 0.6070 | 0.3399 | 0.2255 | 0.1608 |
| | 0.6244 | 0.3001 | 0.1888 | 0.1340 | 0.09964 |
| | 0.3651 | 0.1920 | 0.1288 | 0.09511 | 0.07276 |
| | 0.2467 | 0.1373 | 0.09596 | 0.07291 | 0.05690 |
| | 0.1810 | 0.1046 | 0.07537 | 0.05849 | 0.04634 |

(ii) $v_m = 0.4$

| | | | | | |
|-----------|--------|--------|---------|---------|---------|
| $[e_z] =$ | 1.452 | 0.5929 | 0.3325 | 0.2208 | 0.1575 |
| | 0.6069 | 0.2937 | 0.1855 | 0.1318 | 0.09815 |
| | 0.3543 | 0.1881 | 0.1267 | 0.09381 | 0.07185 |
| | 0.2392 | 0.1345 | 0.09456 | 0.07201 | 0.05627 |
| | 0.1754 | 0.1026 | 0.07433 | 0.05782 | 0.04586 |

(iii) $v_m = 0.53$

| | | | | | |
|-----------|--------|--------|---------|---------|---------|
| $[e_z] =$ | 1.413 | 0.5786 | 0.3251 | 0.2160 | 0.1542 |
| | 0.5884 | 0.2871 | 0.1821 | 0.1297 | 0.09665 |
| | 0.3429 | 0.1841 | 0.1247 | 0.09251 | 0.07093 |
| | 0.2312 | 0.1317 | 0.09314 | 0.07110 | 0.05563 |
| | 0.1694 | 0.1005 | 0.07328 | 0.05714 | 0.04538 |

TABLE 33

Cropped delta wing, aspect ratio 3, taper ratio $1/7$

Values of $[e_\alpha]$

(i) $v_m = 0.26$

| | | | | | | |
|--------------|---|---------|---------|---------|---------|---------|
| $[e_\alpha]$ | = | 0.7211 | 0.2075 | 0.08468 | 0.04705 | 0.03079 |
| | | 0.2050 | 0.08214 | 0.04749 | 0.03324 | 0.02497 |
| | | 0.08603 | 0.04340 | 0.03038 | 0.02389 | 0.01929 |
| | | 0.04357 | 0.02608 | 0.02100 | 0.01797 | 0.01529 |
| | | 0.02478 | 0.01690 | 0.01532 | 0.01404 | 0.01246 |

(ii) $v_m = 0.4$

| | | | | | | |
|--------------|---|---------|---------|---------|---------|---------|
| $[e_\alpha]$ | = | 0.7693 | 0.2275 | 0.09588 | 0.05439 | 0.03595 |
| | | 0.2264 | 0.09109 | 0.05251 | 0.03653 | 0.02726 |
| | | 0.09898 | 0.04884 | 0.03344 | 0.02589 | 0.02069 |
| | | 0.05248 | 0.02984 | 0.02312 | 0.01936 | 0.01626 |
| | | 0.03139 | 0.01971 | 0.01690 | 0.01508 | 0.01317 |

TABLE 34

Cropped delta wing, aspect ratio 3, taper ratio $1/7$ Values of $[-m_z]$ (i) $v_m = 0.26$

| | | | | | |
|------------|----------|----------|----------|-----------|-----------|
| $[-m_z] =$ | -0.4048 | -0.1311 | -0.05908 | -0.03374 | -0.02167 |
| | -0.1368 | -0.05630 | -0.03086 | -0.01971 | -0.01349 |
| | -0.06913 | -0.03262 | -0.01974 | -0.01343 | -0.009616 |
| | -0.04190 | -0.02156 | -0.01389 | -0.009868 | -0.007300 |
| | -0.02824 | -0.01541 | -0.01038 | -0.007615 | -0.005771 |

(ii) $v_m = 0.4$

| | | | | | |
|------------|----------|----------|----------|-----------|-----------|
| $[-m_z] =$ | -0.3950 | -0.1274 | -0.05713 | -0.03251 | -0.02083 |
| | -0.1332 | -0.05493 | -0.03014 | -0.01926 | -0.01318 |
| | -0.06718 | -0.03198 | -0.01935 | -0.01318 | -0.009447 |
| | -0.04069 | -0.02109 | -0.01365 | -0.009713 | -0.007192 |
| | -0.02740 | -0.01509 | -0.01021 | -0.007507 | -0.005696 |

TABLE 35

Cropped delta wing, aspect ratio 3, taper ratio $1/7$ Values of $[-m_\alpha]$ (i) $v_m = 0.26$

| | | | | | | |
|---------------|---|---------|----------|----------|----------|----------|
| $[-m_\alpha]$ | = | 0.2254 | 0.07564 | 0.03593 | 0.02164 | 0.01457 |
| | | 0.06493 | 0.02556 | 0.01390 | 0.009044 | 0.006363 |
| | | 0.02959 | 0.01267 | 0.007429 | 0.005096 | 0.003723 |
| | | 0.01684 | 0.007476 | 0.004590 | 0.003281 | 0.002478 |
| | | 0.01094 | 0.004885 | 0.003096 | 0.002290 | 0.001780 |

(ii) $v_m = 0.4$

| | | | | | | |
|---------------|---|----------|----------|----------|----------|----------|
| $[-m_\alpha]$ | = | 0.2161 | 0.07162 | 0.03360 | 0.02008 | 0.01346 |
| | | 0.06103 | 0.02392 | 0.01297 | 0.008430 | 0.005929 |
| | | 0.02740 | 0.01177 | 0.006920 | 0.004762 | 0.003488 |
| | | 0.01544 | 0.006900 | 0.004270 | 0.003071 | 0.002331 |
| | | 0.009972 | 0.004488 | 0.002875 | 0.002146 | 0.001680 |

TABLE 36

Cropped delta wing, aspect ratio 1.2, taper ratio 1/7

Values of $[e_z]$

(i) $v_m = 0.3$

| | | | | | |
|-----------|-----------|-----------|------------|------------|------------|
| $[e_z] =$ | -0.03550 | -0.01159 | -0.005372 | -0.003191 | -0.002137 |
| | -0.01112 | -0.004720 | -0.002794 | -0.001950 | -0.001450 |
| | -0.005136 | -0.002580 | -0.001751 | -0.001335 | -0.001052 |
| | -0.002864 | -0.001613 | -0.001206 | -0.0009794 | -0.0008051 |
| | -0.001794 | -0.001093 | -0.0008825 | -0.0007538 | -0.0006403 |

(ii) $v_m = 0.6$

| | | | | | |
|-----------|-----------|-----------|-----------|-----------|-----------|
| $[e_z] =$ | -0.1461 | -0.04814 | -0.02251 | -0.01346 | -0.009041 |
| | -0.04660 | -0.01980 | -0.01170 | -0.008149 | -0.006045 |
| | -0.02195 | -0.01093 | -0.007352 | -0.005566 | -0.004368 |
| | -0.01247 | -0.006893 | -0.005078 | -0.004083 | -0.003335 |
| | -0.007947 | -0.004712 | -0.003726 | -0.003143 | -0.002650 |

TABLE 37

Cropped delta wing, aspect ratio 1.2, taper ratio $1/7$

Values of $[\ell_\alpha]$

(i) $v_m = 0.3$

| | | | | | |
|-------------------|--------|---------|---------|---------|---------|
| $[\ell_\alpha] =$ | 0.8107 | 0.3383 | 0.1926 | 0.1290 | 0.09242 |
| | 0.3426 | 0.1629 | 0.1018 | 0.07198 | 0.05344 |
| | 0.2014 | 0.1029 | 0.06781 | 0.04962 | 0.03774 |
| | 0.1366 | 0.07300 | 0.04984 | 0.03737 | 0.02892 |
| | 0.1004 | 0.05536 | 0.03879 | 0.02962 | 0.02323 |

(ii) $v_m = 0.6$

| | | | | | |
|-------------------|---------|---------|---------|---------|---------|
| $[\ell_\alpha] =$ | 0.8075 | 0.3381 | 0.1927 | 0.1289 | 0.09228 |
| | 0.3356 | 0.1613 | 0.1013 | 0.07165 | 0.05316 |
| | 0.1959 | 0.1016 | 0.06735 | 0.04933 | 0.03749 |
| | 0.1323 | 0.07202 | 0.04948 | 0.03713 | 0.02872 |
| | 0.09698 | 0.05459 | 0.03850 | 0.02943 | 0.02306 |

TABLE 38

Cropped delta wing, aspect ratio 1.2, taper ratio $1/7$

Values of $[-m_z]$

(i) $v_m = 0.3$

| | | | | | |
|------------|------------|------------|-------------|-------------|-------------|
| $[-m_z] =$ | -0.004802 | -0.001950 | -0.001136 | -0.0007965 | -0.0005984 |
| | -0.001554 | -0.0006338 | -0.0003786 | -0.0002732 | -0.0002103 |
| | -0.0007947 | -0.0003170 | -0.0001906 | -0.0001403 | -0.0001101 |
| | -0.0004987 | -0.0001923 | -0.0001153 | -0.00008622 | -0.00006878 |
| | -0.0003503 | -0.0001302 | -0.00007754 | -0.00005871 | -0.00004751 |

(ii) $v_m = 0.6$

| | | | | | |
|------------|-----------|------------|------------|------------|------------|
| $[-m_z] =$ | -0.01937 | -0.007843 | -0.004554 | -0.003185 | -0.002388 |
| | -0.005964 | -0.002435 | -0.001458 | -0.001054 | -0.0008131 |
| | -0.002950 | -0.001177 | -0.0007125 | -0.0005285 | -0.0004171 |
| | -0.001815 | -0.0006975 | -0.0004218 | -0.0003190 | -0.0002568 |
| | -0.001262 | -0.0004646 | -0.0002790 | -0.0002145 | -0.0001757 |

TABLE 39

Cropped delta wing, aspect ratio 1.2, taper ratio 1/7

Values of $[-m_\alpha]$

(i) $v_m = 0.3$

| | | | | | |
|-----------------|----------|-----------|-----------|-----------|-----------|
| $[-m_\alpha] =$ | -0.1924 | -0.05602 | -0.02141 | -0.01015 | -0.005341 |
| | -0.07046 | -0.02749 | -0.01428 | -0.008715 | -0.005730 |
| | -0.03787 | -0.01709 | -0.009998 | -0.006644 | -0.004673 |
| | -0.02408 | -0.01182 | -0.007393 | -0.005155 | -0.003765 |
| | -0.01685 | -0.008732 | -0.005705 | -0.004109 | -0.003077 |

(ii) $v_m = 0.6$

| | | | | | |
|-----------------|----------|-----------|-----------|-----------|-----------|
| $[-m_\alpha] =$ | -0.2056 | -0.05897 | -0.02221 | -0.01046 | -0.005511 |
| | -0.07292 | -0.02806 | -0.01445 | -0.008797 | -0.005785 |
| | -0.03856 | -0.01723 | -0.01004 | -0.006668 | -0.004694 |
| | -0.02430 | -0.01185 | -0.007393 | -0.005160 | -0.003773 |
| | -0.01691 | -0.008713 | -0.005689 | -0.004104 | -0.003079 |

TABLE 40

Cropped delta wing, aspect ratio 1.2, taper ratio 1/7

Values of $[e_z]$

(i) $v_m = 0.3$

| | | | | | |
|-----------|--------|---------|---------|---------|---------|
| $[e_z] =$ | 0.8055 | 0.3362 | 0.1916 | 0.1283 | 0.09201 |
| | 0.3413 | 0.1622 | 0.1014 | 0.07176 | 0.05330 |
| | 0.2008 | 0.1026 | 0.06762 | 0.04951 | 0.03767 |
| | 0.1362 | 0.07279 | 0.04971 | 0.03730 | 0.02888 |
| | 0.1002 | 0.05521 | 0.03870 | 0.02957 | 0.02321 |

(ii) $v_m = 0.6$

| | | | | | |
|-----------|---------|---------|---------|---------|---------|
| $[e_z] =$ | 0.7880 | 0.3305 | 0.1888 | 0.1266 | 0.09072 |
| | 0.3310 | 0.1591 | 0.09997 | 0.07084 | 0.05263 |
| | 0.1939 | 0.1005 | 0.06667 | 0.04891 | 0.03724 |
| | 0.1312 | 0.07131 | 0.04905 | 0.03688 | 0.02857 |
| | 0.09628 | 0.05408 | 0.03819 | 0.02925 | 0.02297 |

TABLE 41

Cropped delta wing, aspect ratio 1.2, taper ratio 1/7

Values of $[e_\alpha]$

(i) $v_m = 0.3$

| | | | | | | |
|--------------|---|---------|---------|---------|---------|----------|
| $[e_\alpha]$ | = | 0.6145 | 0.1994 | 0.09146 | 0.05383 | 0.03575 |
| | | 0.2133 | 0.08445 | 0.04701 | 0.03151 | 0.02280 |
| | | 0.1087 | 0.04815 | 0.02975 | 0.02145 | 0.01632 |
| | | 0.06631 | 0.03138 | 0.02079 | 0.01577 | 0.01245 |
| | | 0.04500 | 0.02214 | 0.01544 | 0.01220 | 0.009907 |

(ii) $v_m = 0.6$

| | | | | | | |
|--------------|---|---------|---------|---------|---------|---------|
| $[e_\alpha]$ | = | 0.6163 | 0.2015 | 0.09319 | 0.05500 | 0.03667 |
| | | 0.2137 | 0.08550 | 0.04789 | 0.03216 | 0.02327 |
| | | 0.1089 | 0.04885 | 0.03034 | 0.02187 | 0.01663 |
| | | 0.06639 | 0.03190 | 0.02122 | 0.01609 | 0.01267 |
| | | 0.04502 | 0.02254 | 0.01579 | 0.01244 | 0.01008 |

TABLE 42

Cropped delta wing, aspect ratio 1.2, taper ratio $1/7$

Values of $[-m_z]$

(i) $v_m = 0.3$

| | | | | | |
|------------|----------|-----------|-----------|-----------|-----------|
| $[-m_z] =$ | -0.1872 | -0.05458 | -0.02085 | -0.009850 | -0.005153 |
| | -0.06912 | -0.02708 | -0.01409 | -0.008606 | -0.005657 |
| | -0.03730 | -0.01691 | -0.009910 | -0.006588 | -0.004633 |
| | -0.02376 | -0.01172 | -0.007343 | -0.005122 | -0.003740 |
| | -0.01664 | -0.008668 | -0.005673 | -0.004087 | -0.003060 |

(ii) $v_m = 0.6$

| | | | | | |
|------------|----------|-----------|-----------|-----------|-----------|
| $[-m_z] =$ | -0.1847 | -0.05319 | -0.01998 | -0.009273 | -0.004761 |
| | -0.06768 | -0.02644 | -0.01373 | -0.008370 | -0.005496 |
| | -0.03636 | -0.01652 | -0.009697 | -0.006452 | -0.004540 |
| | -0.02309 | -0.01146 | -0.007201 | -0.005032 | -0.003678 |
| | -0.01614 | -0.008472 | -0.005569 | -0.004021 | -0.003015 |

TABLE 4³Cropped delta wing, aspect ratio 1.2, taper ratio $1/7$ Values of $[-m_\alpha]$ (i) $v_m = 0.3$

| | | | | | |
|-----------------|----------|----------|----------|----------|----------|
| $[-m_\alpha] =$ | 0.1423 | 0.04989 | 0.02521 | 0.01608 | 0.01136 |
| | 0.03606 | 0.01459 | 0.008439 | 0.005871 | 0.004382 |
| | 0.01453 | 0.006428 | 0.004086 | 0.003047 | 0.002387 |
| | 0.007428 | 0.003419 | 0.002335 | 0.001851 | 0.001515 |
| | 0.004416 | 0.002033 | 0.001472 | 0.001234 | 0.001051 |

(ii) $v_m = 0.6$

| | | | | | |
|-----------------|----------|----------|----------|----------|----------|
| $[-m_\alpha] =$ | 0.1433 | 0.05035 | 0.02546 | 0.01622 | 0.01143 |
| | 0.03600 | 0.01455 | 0.008400 | 0.005834 | 0.004350 |
| | 0.01437 | 0.006337 | 0.004024 | 0.003002 | 0.002352 |
| | 0.007276 | 0.003337 | 0.002280 | 0.001811 | 0.001485 |
| | 0.004296 | 0.001965 | 0.001427 | 0.001202 | 0.001027 |

TABLE 44

Arrowhead wing, aspect ratio 1.32, taper ratio 7/8
quarter chord sweep 63.4°

Values of $[e_z]$

(i) $v_m = 0.303$

| | | | | | |
|-----------|-----------|-----------|-----------|-----------|------------|
| $[e_z] =$ | -0.02406 | -0.009376 | -0.005116 | -0.003370 | -0.002404 |
| | -0.008105 | -0.004474 | -0.003067 | -0.002285 | -0.001755 |
| | -0.004003 | -0.002739 | -0.002108 | -0.001675 | -0.001341 |
| | -0.002371 | -0.001877 | -0.001558 | -0.001294 | -0.001067 |
| | -0.001567 | -0.001378 | -0.001209 | -0.001038 | -0.0008742 |

(ii) $v_m = 0.606$

| | | | | | |
|-----------|-----------|-----------|-----------|-----------|-----------|
| $[e_z] =$ | -0.1013 | -0.03956 | -0.02156 | -0.01416 | -0.01007 |
| | -0.03500 | -0.01902 | -0.01289 | -0.009525 | -0.007271 |
| | -0.01765 | -0.01172 | -0.008866 | -0.006971 | -0.005541 |
| | -0.01063 | -0.008082 | -0.006567 | -0.005386 | -0.004403 |
| | -0.007126 | -0.005961 | -0.005105 | -0.004322 | -0.003608 |

TABLE 45

Arrowhead wing, aspect ratio 1.32, taper ratio 7/18,
quarter chord sweep 63.4°

Values of $[e_\alpha]$

(i) $v_m = 0.303$

| | | | | | |
|----------------|--------|---------|---------|---------|---------|
| $[e_\alpha] =$ | 0.8271 | 0.3407 | 0.1920 | 0.1276 | 0.09098 |
| | 0.3597 | 0.1708 | 0.1066 | 0.07531 | 0.05586 |
| | 0.2149 | 0.1100 | 0.07257 | 0.05312 | 0.04039 |
| | 0.1473 | 0.07897 | 0.05398 | 0.04049 | 0.03134 |
| | 0.1091 | 0.06034 | 0.04232 | 0.03234 | 0.02536 |

(ii) $v_m = 0.606$

| | | | | | |
|----------------|--------|---------|---------|---------|---------|
| $[e_\alpha] =$ | 0.8133 | 0.3366 | 0.1903 | 0.1268 | 0.09054 |
| | 0.3508 | 0.1679 | 0.1054 | 0.07471 | 0.05555 |
| | 0.2088 | 0.1079 | 0.07164 | 0.05266 | 0.04016 |
| | 0.1427 | 0.07733 | 0.05324 | 0.04012 | 0.03116 |
| | 0.1055 | 0.05902 | 0.04172 | 0.03203 | 0.02521 |

TABLE 46

Arrowhead wing, aspect ratio 1.32, taper ratio 7/18,
quarter chord sweep 63.4°

Values of $[-m_z]$

(i) $v_m = 0.303$

| | | | | | |
|------------|------------|------------|------------|------------|------------|
| $[-m_z] =$ | -0.003742 | -0.001446 | -0.0008073 | -0.0005518 | -0.0004083 |
| | -0.001726 | -0.0005183 | -0.0002540 | -0.0001781 | -0.0001417 |
| | -0.0009295 | -0.0003173 | -0.0001711 | -0.0001219 | -0.0000954 |
| | -0.0005279 | -0.0001753 | -0.0000964 | -0.0000717 | -0.0000583 |
| | -0.0004988 | -0.0001522 | -0.0000770 | -0.0000554 | -0.0000447 |

(ii) $v_m = 0.606$

| | | | | | |
|------------|-----------|------------|------------|------------|------------|
| $[-m_z] =$ | -0.01377 | -0.005468 | -0.003109 | -0.002141 | -0.001587 |
| | -0.006062 | -0.001869 | -0.0009498 | -0.0006809 | -0.0005470 |
| | -0.003100 | -0.001119 | -0.0006362 | -0.0004650 | -0.0003679 |
| | -0.001628 | -0.0005852 | -0.0003494 | -0.0002706 | -0.0002235 |
| | -0.001611 | -0.0005186 | -0.0002810 | -0.0002100 | -0.0001723 |

TABLE 47

Arrowhead wing, aspect ratio 1.32, taper ratio 7/18,
quarter chord sweep 63.4°

Values of $[-m_\alpha]$

(i) $v_m = 0.303$

| | | | | | |
|-----------------|----------|----------|-----------|-----------|-----------|
| $[-m_\alpha] =$ | -0.2029 | -0.06857 | -0.03245 | -0.01929 | -0.01279 |
| | -0.08560 | -0.03729 | -0.02195 | -0.01499 | -0.01088 |
| | -0.05210 | -0.02562 | -0.01624 | -0.01152 | -0.008540 |
| | -0.03608 | -0.01911 | -0.01275 | -0.009334 | -0.007082 |
| | -0.02627 | -0.01447 | -0.009981 | -0.007499 | -0.005801 |

(ii) $v_m = 0.606$

| | | | | | |
|-----------------|----------|----------|-----------|-----------|-----------|
| $[-m_\alpha] =$ | -0.2061 | -0.06923 | -0.03253 | -0.01922 | -0.01268 |
| | -0.08634 | -0.03742 | -0.02193 | -0.01494 | -0.01083 |
| | -0.05205 | -0.02568 | -0.01627 | -0.01152 | -0.008529 |
| | -0.03578 | -0.01909 | -0.01276 | -0.009335 | -0.007074 |
| | -0.02617 | -0.01447 | -0.009992 | -0.007501 | -0.005796 |

TABLE 48

Arrowhead wing, aspect ratio 1.32, taper ratio 7/18,
quarter chord sweep 63.4°

Values of $[c_z]$

(i) $v_m = 0.303$

| | | | | | |
|-----------|--------|---------|---------|---------|---------|
| $[c_z] =$ | 0.8239 | 0.3395 | 0.1913 | 0.1272 | 0.09070 |
| | 0.3585 | 0.1704 | 0.1064 | 0.07517 | 0.05576 |
| | 0.2142 | 0.1098 | 0.07246 | 0.05305 | 0.04034 |
| | 0.1468 | 0.07882 | 0.05391 | 0.04045 | 0.03131 |
| | 0.1087 | 0.06023 | 0.04228 | 0.03231 | 0.02535 |

(ii) $v_m = 0.606$

| | | | | | |
|-----------|--------|---------|---------|---------|---------|
| $[c_z] =$ | 0.8024 | 0.3324 | 0.1880 | 0.1253 | 0.08949 |
| | 0.3468 | 0.1665 | 0.1046 | 0.07420 | 0.05517 |
| | 0.2064 | 0.1072 | 0.07129 | 0.05242 | 0.03998 |
| | 0.1410 | 0.07686 | 0.05305 | 0.04000 | 0.03106 |
| | 0.1042 | 0.05869 | 0.04160 | 0.03196 | 0.02516 |

TABLE 49

Arrowhead wing, aspect ratio 1.32, taper ratio 7/18,
quarter chord sweep 63.4°

Values of $[e_\alpha]$

(i) $v_m = 0.303$

| | | | | | |
|----------------|---------|---------|---------|---------|---------|
| $[e_\alpha]$ = | 0.5288 | 0.1883 | 0.09477 | 0.05929 | 0.04092 |
| | 0.2803 | 0.09208 | 0.05665 | 0.03989 | 0.02961 |
| | 0.1094 | 0.05776 | 0.03923 | 0.02936 | 0.02272 |
| | 0.07043 | 0.04046 | 0.02926 | 0.02282 | 0.01816 |
| | 0.04992 | 0.03027 | 0.02289 | 0.01840 | 0.01496 |

(ii) $v_m = 0.606$

| | | | | | |
|----------------|---------|---------|---------|---------|---------|
| $[e_\alpha]$ = | 0.5345 | 0.1924 | 0.09752 | 0.06109 | 0.04210 |
| | 0.2026 | 0.09448 | 0.05834 | 0.04099 | 0.03031 |
| | 0.1105 | 0.05947 | 0.04049 | 0.03018 | 0.02323 |
| | 0.07097 | 0.04179 | 0.03026 | 0.02347 | 0.01857 |
| | 0.05016 | 0.03135 | 0.02372 | 0.01895 | 0.01530 |

TABLE 50

Arrowhead wing, aspect ratio 1.32, taper ratio 7/18,
quarter chord sweep 63.4°

Values of $[-m_z]$

(i) $v_m = 0.303$

$$[-m_z] = \begin{bmatrix} -0.2001 & -0.06774 & -0.03210 & -0.01909 & -0.01265 \\ -0.08455 & -0.03699 & -0.02181 & -0.01490 & -0.01081 \\ -0.05158 & -0.02545 & -0.01615 & -0.01145 & -0.008490 \\ -0.03578 & -0.01901 & -0.01269 & -0.009289 & -0.007045 \\ -0.02602 & -0.01438 & -0.009937 & -0.007465 & -0.005773 \end{bmatrix}$$

(ii) $v_m = 0.606$

$$[-m_z] = \begin{bmatrix} -0.1953 & -0.06597 & -0.03113 & -0.01841 & -0.01214 \\ -0.08244 & -0.03623 & -0.02137 & -0.01457 & -0.01055 \\ -0.05020 & -0.02500 & -0.01590 & -0.01125 & -0.008326 \\ -0.03476 & -0.01869 & -0.01251 & -0.009149 & -0.006924 \\ -0.02531 & -0.01416 & -0.009810 & -0.007360 & -0.005681 \end{bmatrix}$$

TABLE 51

Arrowhead wing, aspect ratio 1.32, taper ratio 7/18,
quarter chord sweep 63.4°

Values of $[-m_\alpha]$

(i) $v_m = 0.303$

| | | | | | |
|---------------|----------|----------|----------|----------|----------|
| $[-m_\alpha]$ | 0.09368 | 0.03729 | 0.02092 | 0.01412 | 0.01027 |
| | 0.03344 | 0.01244 | 0.007462 | 0.005699 | 0.004641 |
| | 0.01438 | 0.007054 | 0.004997 | 0.004015 | 0.003303 |
| | 0.006099 | 0.003643 | 0.003020 | 0.002650 | 0.002294 |
| | 0.006387 | 0.002993 | 0.002315 | 0.002043 | 0.001797 |

(ii) $v_m = 0.606$

| | | | | | |
|---------------|----------|----------|----------|----------|----------|
| $[-m_\alpha]$ | 0.09154 | 0.03708 | 0.02096 | 0.01415 | 0.01027 |
| | 0.03144 | 0.01224 | 0.007521 | 0.005753 | 0.004663 |
| | 0.01286 | 0.006882 | 0.005028 | 0.004049 | 0.003317 |
| | 0.004883 | 0.003507 | 0.003048 | 0.002679 | 0.002308 |
| | 0.005374 | 0.002887 | 0.002344 | 0.002072 | 0.001812 |

TABLE 52

Values of $\frac{[\epsilon_z]_{rs}}{\left(\frac{1}{A} [\epsilon_z]_{rs}\right)_{A=0}}$ for cropped delta wings

(i) $A = 3, v_m = 0.26$

| | | | | |
|--------|--------|--------|--------|--------|
| 1.8970 | 1.8210 | 1.7308 | 1.6912 | 1.6375 |
| 1.8731 | 1.8856 | 1.8880 | 1.8937 | 1.8600 |
| 1.8592 | 1.9203 | 1.9672 | 1.9973 | 1.9763 |
| 1.8503 | 1.9403 | 2.0151 | 2.0614 | 2.0484 |
| 1.8441 | 1.9524 | 2.0472 | 2.1055 | 2.0978 |

(ii) $A = 1.2, v_m = 0.3$

| | | | | |
|--------|--------|--------|--------|--------|
| 1.0255 | 1.0087 | 0.9758 | 0.9626 | 0.9372 |
| 1.0238 | 1.0194 | 1.0144 | 1.0145 | 0.9949 |
| 1.0225 | 1.0257 | 1.0331 | 1.0396 | 1.0231 |
| 1.0214 | 1.0290 | 1.0440 | 1.0545 | 1.0397 |
| 1.0204 | 1.0305 | 1.0511 | 1.0646 | 1.0506 |

TABLE 53

Values of $\frac{[\ell_\alpha]_{rs}}{\alpha^2 rs}$ for cropped delta wings
 $\left(\frac{1}{A} [\ell_\alpha]_{rs}\right)_{A=0}$

(i) $A = 3, v_m = 0.26$

| | | | | |
|--------|--------|--------|--------|--------|
| 0.7026 | 0.5882 | 0.4710 | 0.4289 | 0.4142 |
| 0.5384 | 0.5411 | 0.5623 | 0.6093 | 0.6490 |
| 0.4200 | 0.4909 | 0.5850 | 0.6848 | 0.7616 |
| 0.3344 | 0.4418 | 0.5839 | 0.7229 | 0.8291 |
| 0.2714 | 0.3958 | 0.5732 | 0.7449 | 0.8756 |

(ii) $A = 1.2, v_m = 0.3$

| | | | | |
|--------|--------|--------|--------|--------|
| 0.5987 | 0.5652 | 0.5087 | 0.4907 | 0.4809 |
| 0.5604 | 0.5563 | 0.5567 | 0.5776 | 0.5925 |
| 0.5308 | 0.5447 | 0.5728 | 0.6147 | 0.6444 |
| 0.5090 | 0.5317 | 0.5778 | 0.6347 | 0.6753 |
| 0.4929 | 0.5186 | 0.5779 | 0.6471 | 0.6964 |

TABLE 54

Values of $\frac{[-m_2]_{rs}}{\left(\frac{1}{A} [-m_2]_{rs}\right)_{A=0}}$ for cropped delta wings

(i) $A = 3, v_m = 0.26$

| | | | | |
|--------|--------|--------|---------|--------|
| 2.6661 | 3.6390 | 5.2816 | 11.0550 | -154.8 |
| 2.1399 | 2.4198 | 2.6632 | 2.9586 | 3.2329 |
| 1.9104 | 2.0975 | 2.2348 | 2.3589 | 2.4283 |
| 1.7731 | 1.9378 | 2.0494 | 2.1345 | 2.1649 |
| 1.6794 | 1.8357 | 1.9409 | 2.0135 | 2.0306 |

(ii) $A = 1.2, v_m = 0.3$

| | | | | |
|--------|--------|--------|--------|--------|
| 1.2327 | 1.5148 | 1.8640 | 3.2274 | -36.81 |
| 1.0812 | 1.1639 | 1.2163 | 1.2918 | 1.3553 |
| 1.0307 | 1.0870 | 1.1219 | 1.1572 | 1.1699 |
| 1.0056 | 1.0535 | 1.0832 | 1.1079 | 1.1091 |
| 0.9898 | 1.0328 | 1.0605 | 1.0806 | 1.0767 |

RESTRICTED

TABLE 55

Values of $\frac{[-m_\alpha]_{rs}}{\left(\frac{1}{A} [-m_\alpha]_{rs}\right)_{A=0}}$ for cropped delta wings

(i) $A = 3, v_m = 0.26$

| | | | | |
|--------|--------|--------|--------|--------|
| 0.8897 | 0.8093 | 0.7259 | 0.6996 | 0.6840 |
| 1.0343 | 0.9327 | 0.8786 | 0.8684 | 0.8568 |
| 1.2080 | 1.0443 | 0.9906 | 0.9871 | 0.9785 |
| 1.4256 | 1.1486 | 1.0781 | 1.0787 | 1.0766 |
| 1.6946 | 1.2495 | 1.1494 | 1.1538 | 1.1595 |

(ii) $A = 1.2, v_m = 0.3$

| | | | | |
|--------|--------|--------|--------|--------|
| 0.5616 | 0.5338 | 0.5094 | 0.5201 | 0.5333 |
| 0.5744 | 0.5326 | 0.5335 | 0.5637 | 0.5900 |
| 0.5934 | 0.5297 | 0.5448 | 0.5902 | 0.6275 |
| 0.6288 | 0.5253 | 0.5484 | 0.6085 | 0.6583 |
| 0.6841 | 0.5199 | 0.5466 | 0.6219 | 0.6847 |

RESTRICTED

TABLE 56

Values of $\frac{[-m]_{rs}}{\left(\frac{1}{A} [-m]_{rs}\right)_{A=0}}$ for cropped delta wings

(i) $A = 3, v_m = 0.26$

| | | | | |
|--------|--------|--------|---------|---------|
| 2.6277 | 3.5705 | 5.1243 | 10.3695 | -3034.9 |
| 2.1284 | 2.4056 | 2.6459 | 2.9387 | 3.2109 |
| 1.9076 | 2.0922 | 2.2281 | 2.3520 | 2.4219 |
| 1.7746 | 1.9360 | 2.0460 | 2.1310 | 2.1620 |
| 1.6833 | 1.8356 | 1.9391 | 2.0116 | 2.0289 |

(ii) $A = 3, v_m = 0.4$

| | | | | |
|--------|--------|--------|--------|--------|
| 2.5180 | 3.3888 | 4.7773 | 9.2781 | 133.53 |
| 2.0556 | 2.3280 | 2.5616 | 2.8461 | 3.1078 |
| 1.8478 | 2.0363 | 2.1744 | 2.2993 | 2.3703 |
| 1.7223 | 1.8896 | 2.0047 | 2.0923 | 2.1252 |
| 1.6352 | 1.7954 | 1.9042 | 1.9797 | 1.9997 |

(iii) $A = 1.2, v_m = 0.3$

| | | | | |
|--------|--------|--------|--------|--------|
| 1.2105 | 1.4811 | 1.7982 | 2.9730 | 79.126 |
| 1.0720 | 1.1541 | 1.2060 | 1.2819 | 1.3458 |
| 1.0262 | 1.0814 | 1.1162 | 1.1525 | 1.1665 |
| 1.0037 | 1.0498 | 1.0792 | 1.1047 | 1.1071 |
| 0.9898 | 1.0301 | 1.0574 | 1.0783 | 1.0752 |

(iv) $A = 1.2, v_m = 0.6$

| | | | | |
|--------|--------|--------|--------|--------|
| 1.1415 | 1.3650 | 1.5794 | 2.3270 | 7.9858 |
| 1.0256 | 1.1011 | 1.1477 | 1.2203 | 1.2831 |
| 0.9872 | 1.0408 | 1.0763 | 1.1151 | 1.1327 |
| 0.9691 | 1.0148 | 1.0463 | 1.0756 | 1.0826 |
| 0.9582 | 0.9983 | 1.0282 | 1.0531 | 1.0540 |

DETACHABLE ABSTRACT CARDS

These abstract cards are inserted in Reports and Technical Notes for the convenience of Librarians and others who need to maintain an Information Index.

Detached cards are subject to the same Security Regulations as the parent document, and a record of their location should be made on the inside of the back cover of the parent document.

| | | |
|---|---|---|
| <p>RESTRICTED</p> <p>Royal Aircraft Estab. Report No. Structures 201 1956.4 Woodcock, D. L.</p> <p>AERODYNAMIC DERIVATIVES FOR TWO CROPPED DELTA WINGS AND ONE ARROWHEAD WING OSCILLATING IN DISTORTION MODES</p> <p>Aerodynamic derivatives are given for three particular planforms oscillating with symmetric distortion modes in incompressible flow. The planforms are:</p> <ul style="list-style-type: none"> (1) a cropped delta wing of aspect ratio 3 and taper ratio 1/7; (11) a cropped delta wing of aspect ratio 1.2 and taper ratio 1/7; (111) an arrowhead wing of aspect ratio 1.32, taper ratio 7/18 and angle of sweep of 63.4° at the quarter chord. <p>The results are for modes of the form $[\eta]^n$ for $n = 0(1)4$ where η is a non-dimensional spanwise co-ordinate. They have been determined from P.T.O.</p> | <p>RESTRICTED</p> <p>Royal Aircraft Estab. Report No. Structures 201 1956.4 Woodcock, D. L.</p> <p>AERODYNAMIC DERIVATIVES FOR TWO CROPPED DELTA WINGS AND ONE ARROWHEAD WING OSCILLATING IN DISTORTION MODES</p> <p>Aerodynamic derivatives are given for three particular planforms oscillating with symmetric distortion modes in incompressible flow. The planforms are:</p> <ul style="list-style-type: none"> (1) a cropped delta wing of aspect ratio 3 and taper ratio 1/7; (11) a cropped delta wing of aspect ratio 1.2 and taper ratio 1/7; (111) an arrowhead wing of aspect ratio 1.32, taper ratio 7/18 and angle of sweep of 63.4° at the quarter chord. <p>The results are for modes of the form $[\eta]^n$ for $n = 0(1)4$ where η is a non-dimensional spanwise co-ordinate. They have been determined from P.T.O.</p> | <p>RESTRICTED</p> <p>Royal Aircraft Estab. Report No. Structures 201 1956.4 Woodcock, D. L.</p> <p>AERODYNAMIC DERIVATIVES FOR TWO CROPPED DELTA WINGS AND ONE ARROWHEAD WING OSCILLATING IN DISTORTION MODES</p> <p>Aerodynamic derivatives are given for three particular planforms oscillating with symmetric distortion modes in incompressible flow. The planforms are:</p> <ul style="list-style-type: none"> (1) a cropped delta wing of aspect ratio 3 and taper ratio 1/7; (11) a cropped delta wing of aspect ratio 1.2 and taper ratio 1/7; (111) an arrowhead wing of aspect ratio 1.32, taper ratio 7/18 and angle of sweep of 63.4° at the quarter chord. <p>The results are for modes of the form $[\eta]^n$ for $n = 0(1)4$ where η is a non-dimensional spanwise co-ordinate. They have been determined from P.T.O.</p> |
|---|---|---|

RESTRICTED

Intermediate results which D. E. Lehran had earlier obtained by the vortex lattice method. The results are compared, for some cases, with the corresponding values given by very low aspect ratio theory.

RESTRICTED

Intermediate results which D. E. Lehran had earlier obtained by the vortex lattice method. The results are compared, for some cases, with the corresponding values given by very low aspect ratio theory.

RESTRICTED

Intermediate results which D. E. Lehran had earlier obtained by the vortex lattice method. The results are compared, for some cases, with the corresponding values given by very low aspect ratio theory.

RESTRICTED

Intermediate results which D. E. Lehran had earlier obtained by the vortex lattice method. The results are compared, for some cases, with the corresponding values given by very low aspect ratio theory.

RESTRICTED

RESTRICTED



Information Centre
Knowledge Services
[dstl] Porton Down,
Salisbury
Wiltshire
SP4 0JQ
22060-6218
Tel: 01980 613753
Fax 01980-613970

Defense Technical Information Center (DTIC)
8725 John J. Kingman Road, Suit 0944
Fort Belvoir, VA 22060-6218
U.S.A.

AD#: AD 101819

Date of Search: 9 December 2008

Record Summary: AVIA 6/20193

Title: Aerodynamic derivatives for two cropped delta wings and one arrowhead wing oscillating in distortion modes

Availability Open Document, Open Description, Normal Closure before FOI Act: 30 years

Former reference (Department) REPORTS STRUCT 201

Held by The National Archives, Kew

This document is now available at the National Archives, Kew, Surrey, United Kingdom.

DTIC has checked the National Archives Catalogue website (<http://www.nationalarchives.gov.uk>) and found the document is available and releasable to the public.

Access to UK public records is governed by statute, namely the Public Records Act, 1958, and the Public Records Act, 1967.

The document has been released under the 30 year rule.

(The vast majority of records selected for permanent preservation are made available to the public when they are 30 years old. This is commonly referred to as the 30 year rule and was established by the Public Records Act of 1967).

This document may be treated as UNLIMITED.